

PROFESSIONAL TRAINING



BIOMEDICAL EMPORIUM

PROFESSIONAL PRODUCTS

Biomedical Emporium has various chemical peels such as, Bio-Glycolic Acid Peel, Bio-Salicylic Acid Peel and Bio-Lactic Acid peel.

The Advanced Biomedical peels are used to improve appearance of skin and improve rate of cell turnover.

The Advanced Biomedical peels are applied to remove corneocytes (11-22 layers) which are not functional anymore.

Used for various skin conditions to stimulate new keratinocytes for regenerative and healing effect, both in skincare and aesthetic healing old/new scars and abrasions.

CONTRAINDICATIONS

Pregnancy.

Topical dermatitis.

Any allergies to these ingredients.

Roaccutane.

Sunburn.

Accutane

- if on a low dose – the only treatment – Bio-Glycolic 25% plus CBD
- if on a high dose - wait 4 months before peel.
- if going to start Accutane, do a treatment 1 month before they start.

CONDITIONS TO BE CAUTIOUS WITH

Diabetes.

Fever blisters.

Retinol – stop 7 days before treatment and do not start retinol after peel for 4 nights.

TABLE OF CONTENTS

PROFESSIONAL PRODUCTS	1
Contraindications	2
Condition Serum	4
Construction Serum	4
Bio-Glycolic Peel (25 %)	5
Bio-Lactic Peel (45 %)	8
Bio- Salicylic Peel (30 %)	15
Bio-Alkaline Peel	15
Bio-SynthA C Peel (50 %)	18
Bio-Stratum Peel (20 %)	21
Thermodynamic Range	26
Metabolic Massage Oil	30
Melanin 10H	31
Bio-Preggy Peel	35
Intimate Treatment	37

Condition Serum

Main Ingredients are 1.5% Retinol, Peptides and Ceramides. It is used in treatment to prepare the skin.

Construction Serum

Main ingredients are Vitamin E, Niacinamide and Hyaluronic Acid. It is used in treatment to bring the skin back down to normal pH.

Bio-Glycolic Peel (25 %)



A glycolic treatment has a hygroscopic effect – the skin tends to increase inherent moisture levels from the environment, improving suppleness of skin and the glycol-aminoglycans (GAGS) in the lower area of the dermis.

USES	<ul style="list-style-type: none">- JACK OF ALL TRADES- All conditions- All skin types- Skin will GLOW after- Sun damaged skin / solar keratosis- Dry, scaly skin / dehydration- Discoloured / pigmented skin – melisma or hyperpigmentation- Acne-prone skin (no inflamed abrasions/cysts)- Aged / premature aging- Scar / laceration / tissue damaged corrective treatments- Sebum congested skin- Increases collagen production in any skin condition- Can use as a base for all BIO PEELS except for Bio-Lactic and Bio-Alkaline.- FOR ALL FITZPATRICK.- No down time.
-------------	--

<p>SIDE EFFECTS</p>	<ul style="list-style-type: none"> - Any glycolic treatment consisting of a percentage higher than 10 % should be performed by a skincare professional. - It is highly unlikely to have a reaction from a glycolic peel as it is a very safe treatment. - Glycolic chemical peels can cause slight skin irritation, pruritic responses (redness), heat exchange and a burning sensation, however, extremely rare. - The peel should not be removed from the skin; the client can go home with the peel on their skin. - The glycolic molecule doesn't abide with any impurities. Thus, any cellular debris is removed from the skin surface. - According to Dr Judey, the glycolic molecule rids the skin cells of old cellular matter. The cell may burst and cause cytoplasmic fluids to leach from the cell. It may appear as a 'breakout' but is purely little vesicles containing cytoplasmic debris (waste material), removed from the epithelial layer. Do not scratch or squeeze under any circumstances as the bacterial count will increase and a bacterial infection may occur.
<p>PROTOCOL</p>	<p>CAN DO THIS PEEL EVERY 2-4 WEEKS.</p> <p>CAN MICRONEEDLE BUT MUST WAIT UNTIL SECOND TREATMENT.</p> <p>Treatment time: 25-30 minutes.</p> <p>-----</p> <p>Cleanse skin thoroughly: Biomedical Emporium FACIAL CLEANSER.</p> <ul style="list-style-type: none"> - Apply 1 pump onto fingertips. - Work into lather with wet hands. - Leave on for 2 minutes. - Rinse skin with warm water. - Repeat cleanse if necessary. <p>Preparation of skin: Biomedical Emporium CONDITIONING SERUM.</p> <ul style="list-style-type: none"> - Apply 1/2 pump onto fingertips and gently massage into the skin. <p>Exfoliation of skin: Biomedical Emporium 25% BIO-GLYCOLIC CHEMICAL PEEL.</p> <ul style="list-style-type: none"> - Apply 1ml (for face) of peel onto skin with a brush from a small bowl. Massage the peel into the skin until the product has penetrated the skin completely. Do not remove. <p>Revitalize the skin: Biomedical Emporium CONSTRUCT SERUM.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently massage into the skin.

<p>CORRECTIVE TREATMENT IN CASE OF ADVERSE EVENT</p>	<p>Calm the skin: Biomedical Emporium SKIN REPAIR SERUM.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently massage into the skin. <p>Protect the skin: Biomedical Emporium TRANSLUCENT DAY SPF 30.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently apply on the skin. <p>*****</p> <ul style="list-style-type: none"> - If an adverse reaction occurs during the Bio-Glycolic Peel Treatment, apply the following corrective steps: - After the Bio-Glycolic Treatment, apply the Biomedical Emporium Wound Occlusive. The Wound Occlusive will immediately calm the skin and stop inflammation.
<p>HOME CARE</p>	<p>Always advise your client;</p> <ul style="list-style-type: none"> - DO NOT TOUCH their skin with anything for 24 hours - DO NOT CLEANSE their skin for 24 hours - DO NOT DO EXCESSIVE EXERCISE for 24 hours - DO NOT MAKE USE OF RETINOL for 72 hours - NO DIRECT SUN EXPOSURE for 24 hours - AVOID USING MAKE-UP for 24 hours <ul style="list-style-type: none"> - Clients should only rinse their skin with lukewarm water the morning after the treatment followed by Peptide Therapy and Translucent Day SPF30. Facial Cleanser can be introduced 24 hours after the treatment. Apply Wound Occlusive every evening starting 24 hours after the treatment. - Clients should use Peptide Therapy (am) and Wound occlusive (pm) for 3 days then they can continue with their normal skin routine. - Optional: Skin Repair Serum can be applied in the first 3 days for extra nourishment.
<p>STORAGE</p>	<p>At or below 77°F</p>

Bio-Lactic Peel (45 %)



Lactic acid is very softening to the skin. It is an AHA, thus it breaks down the protein bonds between the cells and remove the lipid-like layer, getting rid of corneocyte build-up.

<p>USES</p>	<ul style="list-style-type: none"> - Prevents dry, scaly, pruritic skin conditions – improving collagen production. - Dehydrated, dry skin. - Treats radiation skin burns. - Reduces fine lines and wrinkles – improving skin texture. - Treats hyperpigmentation – gently lightening the skin. - Very healthy to reduce oil secreting skins to produce less sebum. - *INSTANT EFFECT. - No down time. - FOR ALL FITZPATRICK
<p>SIDE EFFECTS</p>	<ul style="list-style-type: none"> - Severe adverse reactions are very rare. - If the skin is severely dehydrated and sensitive a slight erythematous (redness) reaction might occur.

PROTOCOL

CAN DO THIS PEEL EVERY 4 WEEKS.

FIRST TREATMENT SHOULD BE A 25% BIO-GLYCOLIC PEEL WITH NO MICRONEEDLING.

SECOND TREATMENT – BIO-LACTIC PEEL.

TREATMENT TIME FOR BIO-LACTIC PEEL : 25-30 minutes.

*Can do a patch test the first time to make sure no reaction – and continue if okay.

DO NOT MICRONEEDLE

DO NOT USE WITH OTHER PEELS

DO NOT LAYER

Cleanse skin thoroughly:

Biomedical Emporium FACIAL CLEANSER.

- Apply 1 pump onto fingertips .
- Work into lather with wet hands.
- Leave on for 2 minutes.
- Rinse skin with warm water.
- Repeat cleanse, if necessary.

Preparation of skin:

Biomedical Emporium CONDITIONING SERUM.

- Apply 1/2 pump onto fingertips and gently massage into the skin.

Exfoliation of skin:

Biomedical Emporium 25% BIO-LACTIC CHEMICAL PEEL.

- Apply 1-2ml of peel onto skin with a brush from a small bowl. Massage the peel into the skin until the product has penetrated the skin completely. Do not remove.

Revitalize the skin:

Biomedical Emporium CONSTRUCT SERUM.

- Apply 1 small pump onto fingertips and gently massage into the skin.

Calm the skin:

Biomedical Emporium SKIN REPAIR SERUM.

- Apply 1 small pump onto fingertips and gently massage into the skin.

Protect the skin:

Biomedical Emporium TRANSLUCENT DAY SPF 30.

- Apply 1 small pump onto fingertips and gently apply on the skin.

CORRECTIVE TREATMENT IN CASE OF ADVERSE EVENT	<p>If an adverse reaction occurs during the Bio-Lactic Peel Treatment, apply the following corrective steps:</p> <p>After the Bio-Lactic Treatment, apply the Biomedical Emporium Wound Occlusive. The Wound Occlusive will immediately calm the skin and stop inflammation.</p>
HOME CARE	<p>Always advise your client;</p> <ul style="list-style-type: none"> - DO NOT TOUCH their skin with anything for 24 hours - DO NOT CLEANSE their skin for 24 hours - DO NOT DO EXCESSIVE EXERCISE for 24 hours - DO NOT MAKE USE OF RETINOL for 72 hours - NO DIRECT SUN EXPOSURE for 24 hours - AVOID USING MAKE-UP for 24 hours <ul style="list-style-type: none"> - Clients should only rinse their skin with lukewarm water the morning after the treatment followed by Peptide Therapy and Translucent Day SPF30. Facial Cleanser can be introduced 24 hours after the treatment. Apply Wound Occlusive every evening starting 24 hours after the treatment. - Clients should use Peptide Therapy (am) and Wound occlusive (pm) for 3 days then they can continue with their normal skin routine. - Optional: Skin Repair Serum can be applied in the first 3 days for extra nourishment.
STORAGE	<p>At or below 77°F</p>

Bio-Salicylic Peel (30 %)



Salicylic acid is essential in the treatment of any acne-prone conditions or highly sensitive and reactive skin types. Biomedical Emporium makes use of nano-crystallised Salicylic Acid molecules, as it helps to remove redness presented by the inflammatory responses. It also unclogs pores since it breaks down fats and fat-like compounds such as sebum on the skin surface. The nano-crystalline salicylic technology also helps to increase cellular turnover and improve the collagen production and should be used continually to maintain skin integrity.

USES	<ul style="list-style-type: none">- Slight drying effect – ideal for oily complexions and all types of acne-prone skin (including severe acne, inflamed acne and body acne).- ‘Pac-man’ molecule – provides superficial and deep exfoliation, thus ideal for psoriasis conditions.- Anti-bacterial.- Keratosis Pilaris.- Anti-inflammatory – calming erythematous and severely inflamed skin, thus ideal for eczema.- BHA – Beta Hydroxy Acid (dissolves dead skin cells)- Low percentages can be used daily, to inhibit inflammatory responses.- Only pH-balance / acidic values between 3-4 are suitable for the human skin.- Treatment of comedogenic and pustular conditions.- Aids with removal of plantar warts.- No down time.- FOR ALL FITZPATRICK.
-------------	--

	<ul style="list-style-type: none"> • TIP - Use Rx BHA SALICYLIC ACID PEEL if you want to microneedle (easier without crystals)
<p>SIDE EFFECTS</p>	<ul style="list-style-type: none"> - Side effects are very unlikely to occur. - If skin reacts with increased inflammatory responses – it is due to impaired skin barrier. The Bio-Salicylic Peel Treatment is very light and superficial and affects only the outermost layers of the epidermis. - The condition being treated will determine the amount of Bio-Salicylic Peel to be administered, and alternatively, it will determine the expected results. To treat comedones, 1 - 2 treatments might be required. To treat acne-prone skin it might take 4 - 6 treatments. - A warm stinging sensation, and increased erythema, can be expected during the treatment, but a calming and relieved sensation after the treatment will follow. - You might experience the following after the Bio-Salicylic Peel Treatment: <ul style="list-style-type: none"> - Erythema and slight irritation - Itchiness due to flaking skin. - Sensitivity during sun exposure - Allergic reaction (if client is allergic to aspirin)
<p>PROTOCOL</p>	<p>CAN DO THIS PEEL EVERY 4 WEEKS. CAN TAKE 1-2 TREATMENTS TO SEE RESULTS. DO NOT DO THIS PEEL IF ALLERGIC TO ASPIRIN. CAN MICRONEEDLE BUT SHOULD WAIT FOR SECOND TREATMENT WITH BIO-SALICYLIC 30%. DO NOT MICRONEEDLE OVER CRYSTALIZED AREAS.</p> <p><u>FIRST TREATMENT SHOULD BE A 25% BIO-GLYCOLIC PEEL WITH NO MICRONEEDLING</u></p> <p><u>SECOND TREATMENT – BIO-SALICYLIC 30% PEEL.</u> TREATMENT TIME FOR BIO-SALICYLIC 30% PEEL : 25-30 minutes.</p> <p>-----</p> <p>Cleanse skin thoroughly: Biomedical Emporium FACIAL CLEANSER.</p> <ul style="list-style-type: none"> - Apply 1 pump onto fingertips . - Work into lather with wet hands. - Leave on for 2 minutes. - Rinse skin with warm water. - Repeat cleanse, if necessary. <p>Preparation of peel:</p> <ul style="list-style-type: none"> - When you open the peel, it will look like crystals. Mix with a spatula; take some out of the container with a tip of a spatula; put it into bowl. Put the bowl into hot water, in order to melt the crystals.

<p>CORRECTIVE TREATMENT IN CASE OF ADVERSE EVENT</p>	<p>Preparation of skin: Biomedical Emporium CONDITIONING SERUM.</p> <ul style="list-style-type: none"> - Apply 1/2 pump onto fingertips and gently massage into the skin. <p>Exfoliation of skin: Biomedical Emporium BIO- SALICILIC 30% CHEMICAL PEEL.</p> <ul style="list-style-type: none"> - Apply 1-2ml of peel onto skin with a brush from a small bowl. Massage the peel into the skin until the crystalizes. Do not remove. (If you are doing face, neck and décolleté do the face first and then move onto the other areas so to massage before the product crystalizes). If there are a lot of crystals – then do not massage. - If you microneedle – do not microneedle once the crystals have formed. - Gently wipe off (not wash off) the crystals with a sponge or compress. <p>Revitalize the skin: Biomedical Emporium CONSTRUCT SERUM.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently massage into the skin. <p>Calm the skin: Biomedical Emporium SKIN REPAIR SERUM.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently massage into the skin. <p>Protect the skin: Biomedical Emporium TRANSLUCENT DAY SPF 30.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently apply on the skin. <p>*****</p> <p>If an adverse reaction occurs during the Bio-Salicylic Peel Treatment, apply the following corrective steps:</p> <p>After the Bio-Salicylic Treatment, apply the Biomedical Emporium Wound Occlusive. The Wound Occlusive will immediately calm the skin and stop inflammation.</p>

<p>HEMOCARE</p>	<p>Always advise your client;</p> <ul style="list-style-type: none"> - DO NOT TOUCH their skin with anything for 24 hours - DO NOT CLEANSE their skin for 24 hours - DO NOT DO EXCESSIVE EXERCISE for 24 hours - DO NOT MAKE USE OF RETINOL for 72 hours - NO DIRECT SUN EXPOSURE for 24 hours - AVOID USING MAKE-UP for 24 hours <ul style="list-style-type: none"> - Clients should only rinse their skin with lukewarm water the morning after the treatment followed by Peptide Therapy and Translucent Day SPF30. Facial Cleanser can be introduced 24 hours after the treatment. Apply Wound Occlusive every evening starting 24 hours after the treatment. - Clients should use Peptide Therapy (am) and Wound occlusive (pm) for 3 days then they can continue with their normal skin routine. <p>Optional: Skin Repair Serum can also be applied in the first 3 days for extra nourishment.</p>
<p>STORAGE</p>	<p>At or below 77°F</p>

Bio-Alkaline Peel



The Alkaline peel inhibits excessive facial hair growth. It removes more than 22 layers of corneocytes on the epithelial layer. Restructures skin surface, improving skin texture, inhibits sebum production (keratolytic effect) drawing out pustular substances.

<p>USES</p>	<ul style="list-style-type: none"> - Removes peach fuzz on the face by breaking down keratin bond in hair follicles. - Inhibits excessive facial hair growth. - Removes more corneocytes on the epithelial layer (22 layers). - Restructure skin surface – Improve skin texture - Inhibits melanin production. - Inhibits sebum production – Keratolytic effect, drawing out pustular substances. - Hygroscopic effects – physically changing the substance and improving the absorption and adsorption qualities. Capabilities of holding water molecules from the surrounding environment. - No downtime. - FOR ALL FITZPATRICK.
<p>MAIN INGREDIENT</p>	<ul style="list-style-type: none"> - Potassium Thioglycate – breaks down keratin bond in hair follicle.

<p>SIDE EFFECTS</p>	<ul style="list-style-type: none"> - Severely sensitive to sun exposure for the following 48h - Can cause erythema (redness) – reactive hyperaemia (increased blood flow after temporary interruption and increased elevated inflammatory response) - If treatment is performed on a sensitive or reactive skin; sensation a warm, glowing and radiating sensation will be experienced. Not recommended for severely sensitive or reactive skins before skin barrier has been repaired.
<p>PROTOCOL</p>	<p><u>MUST DO THIS TREATMENT EVERY 4 WEEKS FOR BEST RESULTS.</u></p> <p>CAN TAKE 4-6 TREATMENTS TO SEE RESULTS.</p> <p>DO NOT DO EXTRACTIONS DURING THE TREATMENT.</p> <p>DO NOT USE WITH OTHER PEELS.</p> <p>DO NOT LAYER.</p> <p>DO NOT MICRONEEDLE.</p> <p>WARN CLIENT THAT IT HAS A BAD ODOR.</p> <p>Treatment time for Bio-Alkaline Treatment: 25-30 minutes.</p> <p>-----</p> <p>Cleanse skin thoroughly: Biomedical Emporium FACIAL CLEANSER.</p> <ul style="list-style-type: none"> - Apply 1 pump onto fingertips . - Work into lather with wet hands. - Leave on for 2 minutes. - Rinse skin with warm water. - Repeat cleanse, if necessary. <p>Dermaplane</p> <ul style="list-style-type: none"> - Best to dermaplane but if cannot for some reason, the peel will still work but will take longer. <p>Preparation of skin: Biomedical Emporium CONDITIONING SERUM.</p> <ul style="list-style-type: none"> - Apply 1/2 pump onto fingertips and gently massage into the skin. <p>Exfoliation of skin: Biomedical Emporium BIO-ALKALINE CHEMICAL PEEL.</p> <ul style="list-style-type: none"> - Apply 1-2ml of peel onto skin with a brush from a small bowl. Massage the peel into the skin until the product has penetrated the skin completely. Do not remove. <p>Revitalize the skin: Biomedical Emporium CONSTRUCT SERUM.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently massage into the skin.

<p>CORRECTIVE TREATMENT IN CASE OF ADVERSE EVENT</p>	<p>Calm the skin: Biomedical Emporium SKIN REPAIR SERUM.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently massage into the skin. <p>Protect the skin: Biomedical Emporium TRANSLUCENT DAY SPF 30.</p> <ul style="list-style-type: none"> - Apply 1 small pump onto fingertips and gently apply on the skin. <p>Calm the skin: Biomedical Emporium WOUND OCCLUSION.</p> <ul style="list-style-type: none"> - Apply and gently spread. <p>-----</p> <ul style="list-style-type: none"> - If an adverse reaction occurs during the Bio-Alkaline Peel Treatment, apply the following corrective steps: After the Bio-Alkaline Treatment, apply the Biomedical Emporium Wound Occlusive. The Wound Occlusive will immediately calm the skin and stop inflammation.
<p>HOME CARE</p>	<p>Always advise your client;</p> <ul style="list-style-type: none"> - DO NOT TOUCH their skin with anything for 24 hours - DO NOT CLEANSE their skin for 24 hours - DO NOT DO EXCESSIVE EXERCISE for 24 hours - DO NOT MAKE USE OF RETINOL for 72 hours - NO DIRECT SUN EXPOSURE for 24 hours - AVOID USING MAKE-UP for 24 hours <ul style="list-style-type: none"> - Clients should only rinse their skin with lukewarm water the morning after the treatment followed by Peptide Therapy and Translucent Day SPF30. Facial Cleanser can be introduced 24 hours after the treatment. Apply Wound Occlusive every evening starting 24 hours after the treatment. - Clients should use Peptide Therapy (am) and Wound occlusive (pm) for 3 days then they can continue with their normal skin routine. - Optional: Skin Repair Serum can be applied in the first 3 days for extra nourishment.
<p>STORAGE</p>	<p>At or below 77°F</p>

Bio-SynthA C Peel (50 %)



Pure Vitamin C (50 %) exposed to the skin to improve skin texture and skin tone. Replenish and rejuvenate the skin. It can be done on a weekly base. Lightens the skin's hyperpigmentation.

<p>USES</p>	<ul style="list-style-type: none"> - For a GLOWING skin. - Brightening. - Pure molecular exposure of Vitamin C - Improve skin texture and skin tone – buffers exposure to sun damaged- and environmental damaging factors. - Replenish and rejuvenate skin on a weekly base. - Boost skin immunity with concentrated antioxidants - Speed up treatments of hyperpigmentation by lightening the skin. - Anti-aging – lightening the skin. Profound brightening effect. - Impaired skin may have a DOWN-TIME FOR ABOUT 6 DAYS – may peel a lot. May get red and some bumps in areas. This is a citric reaction and can last 3-6 days. Will look amazing on 7th day. - FOR ALL FITZPATRICK – should not microneedle on high Fitzpatrick.
<p>SIDE EFFECTS</p>	<ul style="list-style-type: none"> - Impaired skin may have a DOWN-TIME FOR ABOUT 6 DAYS – may peel a lot. May get red and some bumps in areas. This is a citric reaction and can last 3-6 days. Will look amazing on 7th day.

	<ul style="list-style-type: none"> - Slight pruritic effect (redness) due to high potency of pharmaceutical grade raw materials. <p>Clients can get red and some bumps in areas. This is a citric reaction and can last 3-6 days. Looks amazing by day 7.</p> <p>If a high Fitzpatrick, they will get a white film on their face. They can rinse it off with water the next morning.</p>
PROTOCOL	<p>CAN DO THIS TREATMENT EVERY 4 WEEKS.</p> <p>FOR ALL FITZPATRICK – SHOULD NOT MICRONEEDLE ON HIGH FITZPATRICK.</p> <p>CAN MICRONEEDLE ON LOWER FITZPATRICK BUT SHOULD WAIT FOR SECOND TREATMENT WITH BIO-SYNTHA C PEEL.</p> <p>Treatment time: 25 – 30 min</p> <p>-----</p> <p>Cleanse skin thoroughly:</p> <ul style="list-style-type: none"> - Biomedical Emporium FACIAL CLEANSER. - Apply 1 pump onto fingertips. - Work into lather with wet hands. - Leave on for 2 minutes. - Rinse skin with warm water. - Repeat cleanse if necessary. <p>Preparation of skin:</p> <p>Biomedical Emporium CONDITIONING SERUM. Apply 1/2 pump onto fingertips and gently massage into the skin.</p> <p>Exfoliation of the skin:</p> <p>Mix 1ml of Vitamin C Powder with 3 ml of the diluent. Mix until completely dissolved.</p> <p>Apply Bio-SynthA C Peel Treatment over entire face. Massage the peel into the skin until it is fully penetrated into skin.</p> <p>Revitalize the skin:</p> <p>Biomedical Emporium CONSTRUCT SERUM Apply 1 small pump onto fingertips and gently massage into the skin.</p> <p>Calm the skin:</p> <p>Biomedical Emporium® SKIN REPAIR SERUM Apply 1 pump on fingertips and gently massage into the skin.</p> <p>Protect the skin:</p> <p>Biomedical Emporium TRANSLUCENT DAY SPF 30. Apply 1 pump onto fingertips and gently apply on the skin.</p>

CORRECTIVE TREATMENT IN CASE OF ADVERSE EVENT	<p>If an adverse reaction occurs during the Bio-Syntha C Peel Treatment, apply the following corrective steps:</p> <p>After the Bio-Syntha C Treatment, apply the Biomedical Emporium Wound Occlusive. The Wound Occlusive will immediately calm the skin and stop inflammation.</p>
HOME CARE	<p>Always advise your client;</p> <ul style="list-style-type: none"> - DO NOT TOUCH their skin with anything for 24 hours - DO NOT CLEANSE their skin for 24 hours - DO NOT DO EXCESSIVE EXERCISE for 24 hours - DO NOT MAKE USE OF RETINOL for 72 hours - NO DIRECT SUN EXPOSURE for 24 hours - AVOID USING MAKE-UP for 24 hours - IF A HIGH FITZPATRICK, THEY WILL GET A WHITE FILM ON THEIR FACE. THEY CAN RINSE IT OFF WITH WATER THE NEXT MORNING. - IMPAIRED SKIN MAY HAVE A DOWN-TIME FOR ABOUT 6 DAYS – MAY PEEL A LOT. MAY GET RED AND SOME BUMPS IN AREAS. THIS IS A CITRIC REACTION AND CAN LAST 3-6 DAYS. WILL LOOK AMAZING ON 7TH DAY. - SLIGHT PRURITIC EFFECT (REDNESS) DUE TO HIGH POTENCY OF PHARMACEUTICAL GRADE RAW MATERIALS. CLIENTS CAN GET RED AND SOME BUMPS IN AREAS. THIS IS A CITRIC REACTION AND CAN LAST 3-6 DAYS. LOOKS AMAZING BY DAY 7. - Clients should only rinse their skin with lukewarm water the morning after the treatment followed by Peptide Therapy and Translucent Day SPF30. Facial Cleanser can be introduced 24 hours after the treatment. Apply Wound Occlusive every evening starting 24 hours after the treatment. - Clients should use Peptide Therapy (am) and Wound occlusive (pm) for 3 days then they can continue with their normal skin routine. - Optional: Skin Repair Serum can be applied in the first 3 days for extra nourishment.
STORAGE	<p>At or below 77°F</p>

Bio-Stratum Peel (20 %)



Recommended for a more comprehensive treatment to address skin imperfections such as discoloration, lines resulting from aging, surface blemishes, or to smooth more severe scarring with the skin's texture. It also can be used as spot treatments for acne. Medium-strength peels such as those accomplished with trichloroacetic acid (TCA) can be used effectively.

This Peel, Tri-Chloroacetic Acid (TCA) is used to address skin imperfections such as pigmentation, deep lines, surface blemishes and severe scarring.

USES	<ul style="list-style-type: none">- Improve skin texture and smooth out acne scarring.- Constrict dilated pores.- Discoloration, pigmentation, sunspots, or any sun damaged skin- Reduce any fine lines, wrinkles, and creped skin.- The Bio-Stratum Peel Treatment will not necessarily remove or eliminate acne scarring, but it will improve the appearance and contribute to the removal of tattoos.- Most will peel in thick layers.- DOWNTIME 7-10 DAYS.- NOT SUGGESTED FOR FITZPATRICK 4-6.
-------------	--

SIDE EFFECTS	<ul style="list-style-type: none"> - Client will experience a downtime for 7-10 days. - Client will be flaking after 2-3 days and will continuously do so for 4-10 days. - Client may feel feverish after the treatment. - Tightening and pulling sensation of skin immediately after treatment - WILL PEEL IN THICK LAYERS. - NOT SUGGESTED FOR FITZPATRICK 4-6.
PROTOCOL	<p>NOT SUGGESTED FOR FITZPATRICK 4-6.</p> <p>DO NOT DO ON FIRST TIME CLIENT.</p> <p>CAN DO THIS TREATMENT EVERY 4 WEEKS IF ONLY 1 LAYER IS APPLIED.</p> <p>CAN DO IT EVERY 8 WEEKS IF MORE THAN ONE LAYER IS APPLIED.</p> <p>CAN ONLY DO EVERY 3-6 MONTHS IF 3 LAYERS DONE.</p> <p>IF MICRONEEDLING HAS BEEN DONE, WITH 1 OR MORE LAYERS OF THE PEEL, WAIT 3 MONTHS BEFORE REPEATING PEEL.</p> <p>CAN MICRONEEDLE FROM 2ND TREATMENT of Bio-Stratum Peel but NOT OVER FROSTED AREAS</p> <p>DO NOT MICRONEEDLE OVER KELOID OR HYPERTROPHIC SCARS</p> <p><u>FIRST TREATMENT</u> SHOULD BE A 25% BIO-GLYCOLIC PEEL WITH NO MICRONEEDLING. Can do a spot-treatment on acne.</p> <p><u>SECOND TREATMENT</u> – BIO-STRATUM PEEL.</p> <p>TREATMENT TIME FOR BIO-STRATUM PEEL : depends on how many layers.</p> <p>-----</p> <p>Cleanse skin thoroughly:</p> <ul style="list-style-type: none"> - Biomedical Emporium FACIAL CLEANSER. - Apply 1 pump onto fingertips. - Work into lather with wet hands. - Leave on for 2 minutes. - Rinse skin with warm water. - Repeat cleanse, if necessary. <p>Preparation of skin:</p> <ul style="list-style-type: none"> - Biomedical Emporium CONDITIONING SERUM. - Apply 1/2 pump onto fingertips and gently massage into the skin.

**CORRECTIVE
TREATMENT
IN CASE OF
ADVERSE
EVENT**

Exfoliate the skin:

-First treatment – maximum 1 layer

- Second treatment – maximum 3 layers

Apply 1 layer of Bio-Stratum Peel. The applicator (brush) must only be partially submerged to prevent excess product on the skin.

- Wait for frosting (5-10min). Most people frost but occasionally you may have a client that does not frost.

- Do not massage.

- Apply 2nd layer Bio-Stratum Peel where frosting has not occurred yet and avoid frosted areas. The applicator (brush) must only be partially submerged to prevent excess product on the skin.

- Wait for frosting (5-10min).

- Do not massage.

- Apply 3rd layer of Bio-Stratum Peel where frosting has not occurred yet and avoid frosted areas. The applicator (brush) must only be partially submerged to prevent excess product on the skin.

- Wait for frosting (5-10min). Most people frost but occasionally you may have a client that does not frost.

Revitalize the skin:

Biomedical Emporium CONSTRUCT SERUM

Apply 1 small pump onto fingertips and gently massage into the skin.

Calm the skin:

Biomedical Emporium® SKIN REPAIR SERUM

Apply 1 pump on fingertips and gently massage into the skin.

Protect the skin:

Biomedical Emporium TRANSLUCENT DAY SPF 30.

Apply 1 pump onto fingertips and gently apply on the skin.

-
- The Bio-Stratum Peel Treatment will automatically result in inflamed, red, and sensitive skin. It may also be painful, depending on the client's pain threshold.
 - If an adverse reaction occurs during the Bio-Stratum Peel Treatment, apply the following corrective steps: After the Bio-Stratum Treatment, apply the **Biomedical Emporium Wound Occlusive**. The Wound Occlusive will immediately calm the skin and stop inflammation.

<p>HOME CARE</p>	<p>ALWAYS ADVISE YOUR CLIENT;</p> <ul style="list-style-type: none"> - DO NOT TOUCH THEIR SKIN WITH ANYTHING FOR 24 HOURS - DO NOT CLEANSE THEIR SKIN FOR 24 HOURS - DO NOT DO EXCESSIVE EXERCISE FOR 24 HOURS - DO NOT MAKE USE OF RETINOL FOR 72 HOURS - NO DIRECT SUN EXPOSURE FOR 24 HOURS - AVOID USING MAKE-UP FOR 24 HOURS - DO NOT PICK AT THE LOOSE SKIN – WILL CAUSE HYPO/HYPERPIGMENTATION. - MOST WILL PEEL IN THICK LAYERS. - THERE WILL BE DOWNTIME FOR 8-10 DAYS - THERE WILL BE FLAKING AFTER 2-3 DAYS AND WILL CONTINUE FOR 4 – 10 DAYS. - TIGHTENING AND PULLING SENSATION OF THE SKIN IMMEDIATELY AFTER TREATMENT. - AFTER THE BIO STRATUM PEEL, SKIN WILL BE INFLAMED, RED, SENSITIVE, AND PAINFUL DEPENDING ON THE CLIENT'S PAIN THRESHOLD. <p>-----</p> <ul style="list-style-type: none"> - Clients should only rinse their skin with lukewarm water the morning after the treatment followed by Peptide Therapy and Translucent Day SPF30. Facial Cleanser can be used from the next day in the evenings followed by Wound Occlusive. - Clients should use Peptide Therapy and Wound occlusive for 3 days then they can continue with their normal skin routine. - Optional: Skin Repair can be applied in the first 3 days for extra nourishment. -
<p>STORAGE</p>	<p>At or below 77°F</p>

Suggested sequence of treatments for Bio-Stratum Peel:

Treatment 1 – Bio-Glycolic Peel. No microneedling unless previously had this peel.

Treatment 2 – 1 layer Bio-Stratum. No microneedling. Must wait 4 weeks until another Bio-Stratum Treatment.

Treatment 3 – Treatment with other products – but not TCA. No microneedling.

Treatment 4 – 2 layers of Biostratum. Microneedling (optional) but not over frosting. Wait 8 weeks before another Bio-Stratum Treatment (except for spot treatments).

Treatment 5 - Treatment with other products – but not TCA. Microneedling.

Treatment 6 - 3 layers of Biostratum. No microneedling.

AFTER 3 LAYERS WAIT A MINIMUM OF 3-6 MONTHS, HOWEVER, CAN STILL DO SPOT TREATMENTS EVERY 4 WEEKS.

Thermodynamic Range



Recommended for a wider variety of skin care concerns. Ideal in addressing skin concerns such as dehydration, fine lines and wrinkles resulting from aging, surface blemishes, or to increase circulation in smoker's skin. No contra-indications to this treatment, and it can be performed with, or without the Bio-Glycolic Peel (25 %) to remove corneocytes to achieve optimal product penetration.

<p>USES</p>	<ul style="list-style-type: none"> - Hydrating. - Tired skin. - Smokers skin. - GLOW. - Softening and smoothing. - Brightening. - Increased vascularisation. - Skin tightening & densification. - Suitable for all Fitzpatrick.
<p>ACTIVE INGREDIENTS</p>	<ul style="list-style-type: none"> • FAHRENHEIT PLUS <ul style="list-style-type: none"> - Bentonite - Kaolin - Niacinamide • FAHRENHEIT MINUS <ul style="list-style-type: none"> - Menthol - Allantoin - Salicylic Acid

<p>PROCEDURE</p>	<p>CAN DO AS A FIRST TREATMENT. DO NOT MICRONEEDLE.</p> <p>NO DOWNTIME BUT LOOKS BEST 2-3 DAYS AFTER TREATMENT</p> <p>Treatment Time: 60-90 minutes</p> <p>-----</p> <p>Remove Makeup (optional). Biomedical Emporium MAKEUP REMOVER -Sprints 5 dispensing pumps onto cotton wool (2 ml)</p> <p>Cleanse skin thoroughly. Biomedical Emporium LUMINOUS MILK CLEANSER FACIAL CLEANSER. -Apply 1 pump onto fingertips. -Work into lather with wet hands. -Rinse skin with warm water.</p> <p>Preparation of skin. Biomedical Emporium FACIAL CLEANSER. -Apply 1 pump onto fingertips. -Spread over the skin. -Leave on for 7-10 minutes for gentle exfoliation. -Rinse skin with warm water.</p> <p>Revitalize the skin. Biomedical Emporium VITAMIN AND MINERAL SPRITZ. • Sprints 5 pumps onto clean skin (2 ml).</p>
	<p>ADDITIONAL 30 MINUTES OPTIONAL FROM 2ND THERMODYNAMIC TREATMENT</p>
	<p>Preparation of the skin. Biomedical Emporium CONDITIONING SERUM. -Apply 1/2 pump onto fingertips and gently massage into the skin.</p> <p>Exfoliation of skin. 25% BIO-GLYCOLIC PEEL -Apply 1 ml of peel onto skin with a brush from a small bowl. and massage into the skin.</p>

	<p>Revitalization of the skin.</p> <p>Biomedical Emporium CONSTRUCT SERUM</p> <p>-Apply 1 pump onto fingertips and gently massage into the skin</p>
	<p>Note: if you wish to exclude the peel, continue with all steps, including Conditioning Serum and Construct Serum. Continue with Treatment Protocol below.</p>
	<p>Circulation and strengthen.</p> <p>-Biomedical Emporium FARENHEIT +</p> <p>-Apply 2 pumps onto fingertips and gently massage into the skin.</p> <p>-After 10 minutes, introduce steam for 3-5 minutes.</p> <p>-Remove the product with lukewarm water after a total of 15 minutes.</p> <p>Relaxation and nourishment of the neck and décolleté.</p> <p>Biomedical Emporium METABOLIC MASSAGE OIL.</p> <p>-Apply 2 pumps onto fingertips and massage onto the neck and décolleté for 10 minutes while the FARENHEIT + is on.</p> <p>Revitalization of the skin.</p> <p>Biomedical Emporium VITAMIN AND MINERAL SPRITZ.</p> <p>-Spritz 5 pumps onto clean skin (2ml)</p> <p>Replenish and restoration:</p> <p>Biomedical Emporium FARENHEIT –</p> <p>- Apply the 2 pumps onto fingertips and do not remove. Wait a total of 15 minutes then massage in excess product before applying the next product.</p> <p>Relaxation and nourishment (optional).</p> <p>Massage client, avoiding the face, while FERHANEIT – is on.</p> <p>Revitalization of eyes.</p> <p>Biomedical Emporium EYE STRUCTURE GEL.</p> <p>-Apply 1 pump onto ring fingers and gently apply onto the skin around the eyes and the lips.</p> <p>Protection of skin.</p> <p>Biomedical Emporium TRANSLUCENT DAY SPF 30.</p> <p>-Apply 1 pump onto fingertips and gently apply on the skin</p>

HOMECARE**ALWAYS ADVISE YOUR CLIENT;**

- **DO NOT TOUCH** THEIR SKIN WITH ANYTHING FOR 24 HOURS
- **DO NOT CLEANSE** THEIR SKIN FOR 24 HOURS
- **DO NOT DO EXCESSIVE EXERCISE** FOR 24 HOURS
- **DO NOT MAKE USE OF RETINOL** FOR 72 HOURS
- **NO DIRECT SUN EXPOSURE** FOR 24 HOURS
- **AVOID USING MAKE-UP** FOR 24 HOURS
-
- Clients should only rinse their skin with lukewarm water the morning after the treatment followed by Peptide Therapy and Translucent Day SPF30. Facial Cleanser can be used from the next day in the evenings followed by Wound Occlusive.
- Clients should use Peptide Therapy and Wound occlusive for 3 days then they can continue with their normal skin routine.
- Optional: Skin Repair can be applied in the first 3 days for extra nourishment.

Metabolic Massage Oil



USES	<ul style="list-style-type: none"> - Cellular metabolic enhancer - Restorative & hydrating - Brightening antioxidant - Improved densification - Suitable to use after Biomedical Advanced Peels - Suitable to use as gliding agent for Radiofrequency Treatments
ACTIVE INGREDIENTS	<ul style="list-style-type: none"> - Vitamin B3 (5 %) - Alpha Tocopherol - Prunus Dulcis Oil
STORAGE	At or below 77°F

BIOMEDICAL EMPORIUM MELANIN 10H

Melanin 10H is an advanced treatment that should **only be done once every 6 months**. Melanin 10H is a specifically formulated pharmaceutical grade, high potency product made of the purest raw ingredients.

You can do a non-peeling acid or GSM 4 weeks after Melanin 10H. Do not do any acids, or GSM, for at least 4 weeks before Melanin 10H treatment.

BioMedical Emporium's main objective has always been to maintain each person's skin integrity, therefore, utmost care was taken in ensuring that Melanin 10H benefits the skin both topically and within the cell structure.

Melanin 10 is suitable for all skin types within the Fitzpatrick scale except for sensitive skin with rosacea.

Will peel but everyone peels differently.

Do not mix with other acids.

The orange mask will stain fabric – wear a black shirt and tube top.

INGREDIENTS

30% Kojic Acid

20% Azelaic Acid

50% Ascorbic Acid

BENEFITS

Improves skin texture and smooths out acne scarring.

Constricts dilated pores.

Discoloration, pigmentation and sunspots or any sun damage.

Reduces fine lines and wrinkles and crepe skin.

Acne, pigmentation and aging skin.

CONTRAINDICATIONS

Pregnancy / Breastfeeding.

Topical dermatitis.

Any allergies to these ingredients.

Roaccutane.

Sunburn.

Accutane – if on a high dose – wait 4 months before peel. If going to start

Accutane, do a treatment 1 month before they start.

CONDITIONS TO BE CAUTIOUS WITH

Diabetes.

Fever blisters.

Retinol – stop 7 days before treatment and do not start retinol after peel for 4 nights.

TREATMENT TIME

45 minutes – 1 hour in the salon.

10 hours at home for client plus every 3rd night until out of the product.

WHAT TREATMENTS SHOULD YOU DO FOR CLIENT PRIOR TO GETTING THE MELANIN 10H TREATMENT

Do not do on first time clients – they must have had some acid treatment prior.

Recommended:

- Treatment 1 – Bio-Glycolic Acid 25% – no microneedling.
- Treatment 2 – Complexion Peel or BioSyntha C Peel – no microneedling **OR** microneedle Bio-Glycolic 25% plus skin appropriate serum (not GSM).

PROTOCOL

- Slightly elevate the client during treatment to prevent product seeping into eyes.
- Cleanse with BIOMEDICAL EMPORIUM FACIAL CLEANSER.
- Rinse off cleanser with warm water.
- Wipe the skin with ALCOHOL on a cotton pad.
- Wipe the skin quickly with PURE ACETONE on a cotton pad.
- Take photos for your record.
- Apply 1 ml – BIOMEDICAL EMPORIUM COMPLEXION PEEL and leave on the skin for 10 minutes without massaging or needling. Do not remove the peel. You can use a fan to reduce stinging feeling.
- Pump approximately 25 ml of BIOMEDICAL EMPORIUM MELANIN 10H into a bowl.
- Apply 5 layers of BIOMEDICAL EMPORIUM MELANIN 10H on the skin as a mask (you can apply close to the eyes but not on eyelids). The applicator should be only partially submerged, in order to prevent putting excess product on the skin. LET IT DRY BETWEEN LAYERS – will dry in about 6 minutes with a fan (depending how thick you apply it. Will take longer without a fan). It is fine if the Client doesn't feel the mask – doesn't usually hurt at all. DO NOT MASSAGE OR MICRONEEDLE.

*If doing face, neck and décolleté – you have 2 options:

- Do only 3 layers OR
- Use 2 BIOMEDICAL EMPORIUM MELANIN 10H containers.

If client sweats during treatment, dab skin dry.

The client then leaves with the mask on (will be bright orange) – MUST STAY ON FOR 10 HOURS

Client must go home with the BIOMEDICAL EMPORIUM PEPTIDE THERAPY and BIOMEDICAL EMPORIUM WOUND OCCLUSION and the leftover BIOMEDICAL EMPORIUM MELANIN 10H.

HOME PROCEDURE

Client should go straight home and not go into the sun.
The mask will get darker as the day proceeds.

After **10 hours**:

- Client must rinse off the mask with lukewarm water, without cleanser, and do not apply anything.

24 hours after the treatment (and for the next 5 days):

- Mornings: Client can do normal skincare routine but must apply BIOMEDICAL EMPORIUM PEPTIDE THERAPY and BIOMEDICAL EMPORIUM'S SPF30.
- Evenings (except when applying BIOMEDICAL EMPORIUM MELANIN 10H): Client can do normal skin routine, except no retinol for 4 nights and must apply BIOMEDICAL EMPORIUM WOUND OCCLUSIVE on top of their skincare products.
- On the 3rd night only BIOMEDICAL EMPORUIUM MELANIN 10H should be applied as a night moisturizer. This will be done every 3 nights.
 - Client should wash face, then massage in a pea size of the BIOMEDICAL EMPORUIUM MELANIN 10H.
 - Do not use any other products with it.
 - DO NOT SHARE the with anyone!!!
- The BIOMEDICAL EMPORUIUM MELANIN 10H Treatment has concluded once the product is finished.
- Client can start using BIOMEDICAL EMPORIUM'S RETINOL SERUM on the 4th night. This will speed up the peeling process.

ALWAYS ADVISE YOUR CLIENT

1. Avoid the sun for 48 hours before and after the treatment.
2. DO NOT PEEL THE SKIN OFF. Skin will naturally peel off. If long, hanging pieces – client can cut off the loose skin without pulling on it. Can cause hypo/hyper pigmentation if pulled off.
3. Always wear sunscreen.
4. Do not do excessive exercise for 48 hours.
5. Do not use retinol for 4 days.
6. No acids for 4 weeks after treatment – salicylic acid cleanser is ok.
7. No TCA for 6 months. Do not do this treatment for at least 6 months after a TCA treatment.
8. Can do a peel after 4 weeks (no microneedling and not a peel that visibly peels). Examples of good peels: Glycolic, Complexion, Salicylic, etc.
9. Do not perform a derma pen treatment for 3 months. Can then use products that will peel, except for a TCA.
10. Product will stain – wear black.

- Should start peeling (soft flaking) anywhere from 3-7 days and can peel for up to 7 days.

TYPICAL SENSATIONS FELT BY CLIENT

- Day 1 – tingling and stinging.
- Day 2 – dryness and itchiness.
- Day 3 – tightness and crepey skin.
- Day 4-8 – skin will start to peel and slough off. This differs from person to person.

SIDE EFFECTS

- Flaking
- May feel feverish after treatment.
- The effected cells must be treated as a “superficial wound”, therefore, the skin must remain moist and hydrated in order to prevent skin tearing.


INGREDIENTS

- 20% Azelaic Acid
- 30% Kojic Acid
- 50% Ascorbic Acid
- 25% TCA
- 30% Salicylic Acid

CORRECTIVE TREATMENT IF BAD REACTION DURING/AFTER TREATMENT

The BIOMEDICAL EMPORIUM MELANIN 10H peel does not hurt during the treatment. It will automatically result in inflamed, red and sensitive skin after the treatment. It may also be painful, depending on the client’s pain threshold.

Please ensure the client has no other commitments after this treatment





Bio-Preggy Peel Protocol

Introduction

This treatment was created to make sure expecting and breastfeeding women also get to relax and experience a professional peel, safely.

This treatment can be performed on the face, breasts, thighs, and stomach area.

Indications

- Stretch mark treatment or prevention
- Uneven skin tone
- Breakouts / Acne
- Linea nigra line
- Itchy / Dry skin



Contra-indications

NONE

Protocol

- Facial Cleanser
- Conditioning Serum
- Bio-Preggy Peel
- Construct Serum
- Skin Repair Serum
- HA Contour Masque
- Translucent Day SPF30

Additional information

- When treating someone pregnant make sure you keep them elevated at a 45° angle to avoid the client from getting lightheaded or lose consciousness.
- Always offer your client a glass of Skin Biotic Supplement before they stand up.
- This treatment can be performed once a month.
- When massaging the stomach keep in mind the pressure you apply.
- Have Maternology retail to sell to your client.

Main Ingredients

- 15 % Glycolic Acid
- 15 % Glutathione
- 10 % Ascorbic Acid



Maternology



Intimate Treatment Protocol

Introduction

This protocol is to treat pigmentation, ingrown hairs and to tighten the area.

Different acids are used to treat different conditions in combination with microneedling and chemical peels.

Indications

Uneven Skin Tone
Loose / Sagging Skin
Ingrown Hairs
Scarring

Contra-indications

Pregnant or breastfeeding women
Active sexual transmitted disease
Open lesions or wounds on the area





Protocol

- Spray the area with HOCl.
- Apply Conditioning Serum with a brush and needle in at 0.5mm - 0.75mm.
- Apply 25% Bio-Glycolic Peel to the area and needle in at 0.5mm - 0.75mm.
- Choose additional serums or acids based on your client's concern and needle in at 0.5mm - 0.75mm.
- Apply Construct Serum with a brush and wait 5 minutes to dry.
- Apply Skin Repair Serum with a brush.
- Apply HA Contour Masque with a brush and leave the client for 10 minutes.

Additional information

- This treatment can be performed every 4-6 weeks.
- Make sure you have disposable underwear to offer your client after this treatment to avoid product touching their clothes.
- Intimate waxing can be done right before a treatment like this is performed; just let your client know they might experience more tingling than usual.
- To make your client more comfortable place them under a LED light or cover their eyes during the treatment.
- Always have the Biomedical Emporium Vaginal Brightening Serum and Anal Brightening Serum available for your clients to purchase afterwards.
- If your client is experiencing vaginal dryness recommend the Combinant Collagen. Your client will use one collagen ball a week for 7 weeks in a row, then move to once every 2/3 weeks and when the desired effect has been reached, only use as needed.

A few recommendation (not limited to these):

Pigmentation:

- Complexion Peel
- Gluta Therapy
- Niacinamide Diluent 10%

Tightening:

- Niacinamide Diluent 10%
- Fibroblast Growth Factor Serum
- Redermalization HA



ADVANCED PROFESSIONAL

Rx PEELS & SERUMS



Biomedical Emporium has developed the Rx Skin Care range to deliver innovative skincare solutions for clients.

The Rx range was scientifically formulated within the disciplines of Biomedical Science and Skin Tissue Engineering to optimize skin therapeutic health based on the latest advances in skin therapy technologies with unique delivery systems, bioengineered complexes, and exclusive topical administration protocols. Biomedical Emporium provides comprehensive skincare programs for skin care professionals and their clients.

We source medical grade active ingredients that comply to compendia standards and formulated at high concentrations and combinations to provide clients with visible results suitable for all skin types and to address many skin concerns.

TABLE OF CONTENTS

<u>ADVANCED PROFESSIONAL Rx AND PRODUCTS</u>	39
<u>Contraindications</u>	42
<u>TCA PEEL 25% AND 30%</u>	43
<u>a-RetQ10</u>	44
<u>a-GSM</u>	45
<u>Fibroblast Growth Factor</u>	46
<u>Keratinocyte Growth Factor</u>	47
<u>Melanocyte Growth Factor</u>	48
<u>Redermalization HA</u>	49
<u>Seborrheic Peel</u>	50
<u>Complexion Peel</u>	51
<u>Gluta Therapy</u>	52
<u>L-Carnitine Conjugate</u>	53
<u>Mitochondria ATP</u>	54
<u>AHA Glycolic Acid Peel 30%, 40%, 50%</u>	55
<u>BHA Salicylic Acid Peel 30%, 40%</u>	56
<u>Kojic Acid Peel 40%, 50%</u>	57
<u>Azelaic Acid</u>	58
<u>Tranexamic Acid</u>	59
<u>CBD</u>	60
<u>Adipocyte Solution</u>	61
<u>Skin Perfusion Diluent</u>	62

<u>HA Serum 3%</u>	63
<u>Intimate Complexion Enhancement – Vaginal Brightening Serum</u>	64
<u>Intimate Complexion Enhancement –Anal Brightening Serum</u>	65
<u>PRP Scalp Serum</u>	66
<u>Wound Occlusive</u>	67
<u>Ascorbic Acid</u>	68
<u>Retinol Diluent 3%</u>	69
<u>Niacinamide Diluent 10%</u>	70
<u>SUGGESTED PROTOCOLS</u>	1
<u>Contraindications</u>	2
<u>Adipocyte Solution Protocol</u>	3
<u>Luxury Skincare Treatment without microneedling/peel</u>	5
<u>Microneedling</u>	7
<u>Standard Microneedling Treatment with Peel and Rx/Serum</u>	9
<u>Hair Growth Treatment</u>	12
<u>Rx Suggestions + Homecare Per Skin Concern</u>	13
<u>Treatment Suggestions Per Skin Concern</u>	15
<u>Examples of Series of Treatments Per Skin Concern</u>	17
<u>CBD Microneedling Protocol</u>	25

CONTRAINDICATIONS

Pregnancy.

Topical dermatitis.

Any allergies to these ingredients.

Roaccutane.

Sunburn.

Accutane

- if on a low dose – the only treatment – Bio-Glycolic 25% plus CBD
- if on a high dose - wait 4 months before peel.
- if going to start Accutane, do a treatment 1 month before they start.

CONDITIONS TO BE CAUTIOUS WITH


Diabetes.

Fever blisters.


Retinol – stop 7 days before treatment and do not start retinol after peel for 4 nights.

Rx PRODUCT RANGE

PRODUCT	KEY FEATURES	ADDED INFO	TREATMENT/ HOMECARE
<p>TCA PEEL</p> 	<p>Trichloroacetic Acid</p> <p>25 % / 30 %</p> <p>pH: 1.0</p> <ul style="list-style-type: none"> • Medium depth peel • Elastosis • Pigmentation • Acne scarring • Uneven skin tone • Hypertrophic scars – do not microneedle • Keloid Scars – do not microneedle • Acne • Aging <p>-----</p>	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Expect peeling/ flaking • Can be a stand-alone treatment. • Start with TCA 20% • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>Layer dependent. Approximately 8-10 days down time. To be concluded with Peptide Therapy and Wound Occlusive.</p> <p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy • Microneedling • Use with all Rx products <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Peptide Therapy • Skin Repair Serum • Wound Occlusive


<p>a-RetQ1</p> 	<p>5% Retinol 15% Co-Enzyme Q10 10 % Nicotinamide</p> <ul style="list-style-type: none"> • Improves stretchmarks including discoloration • Improves skin elasticity • Tightening • Pigmentation • Acne scarring • Stimulates mitochondrial ATP production • Promotes cellular turnover rates • Decreases sebum production <p>More effective than GSM for:</p> <ul style="list-style-type: none"> -Sensitive skin -Less peeling -Stretchmarks -Tightening <p>Mitochondria ATP better for stretchmarks but not for discoloration.</p>	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Always apply as dots • Apply last except with CBD • MUST microneedle • Will stain brushes • Suitable for all Fitzpatrick • May have peeling/ • Flaking <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>NOTE – Skin will start flaking, approximately 2-5 days after treatment. Avoid all Retinol containing home care products for 5 days post treatment.</p> <p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy • Chemical Peel • Microneedling • Do not use with GSM or Mitochondria ATP+ <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Retinol Serum • Collagen Serum • Peptide Therapy • HA Serum 3%
---	--	--	---

<p>GSM</p> 	<p>8 % Retinol</p> <ul style="list-style-type: none"> • GOLD STANDARD • Advanced anti-aging • Pigmentation • Acne scarring • Stimulate mitochondrial ATP production • Promotes cellular turnover rates • Decrease sebum production • Expect peeling/flaking <p>Better than a-RetQ10 for:</p> <ul style="list-style-type: none"> -Scarring -Pigmentation -Aging (except for tightening) -Peel more with GSM 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Always apply as dots • apply last except with CBD • MUST microneedle • Will stain brushes. • Used for Signature Facial • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>NOTE – Skin will start flaking, approximately 2-5 days after treatment. Avoid all Retinol containing home care products for 5 days post treatment.</p> <p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy • Chemical Peel • Microneedling • Do not use with a-RetQ10 or Mitochondria ATP+ <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Retinol Serum • Collagen Serum • Peptide Therapy • HA Serum 3%
---	---	--	--

<p>Fibroblast Growth Factor Serum</p> 	<p>Human Derived Fibroblast Growth Factor with anti-inflammatory markers</p> <ul style="list-style-type: none"> • Plumps up skin • Dark circles under eyes • Bags under eyes • Stimulates collagen fiber synthesis • Enhances mitotic proliferation, migration and differentiation of fibroblasts 	<p>Store at 36-50°F</p> <p>Must be refrigerated</p> <ul style="list-style-type: none"> • Can apply close to the eyes • Must microneedle or use with a peel • Goes deeper into the skin than Keratinocyte Growth Factor • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy techniques • Chemical Peel • Microneedling • Can be used with all Rx products <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • HA Serum 3 % • Retinol Night • Peptide Therapy
--	--	---	---

<p>Keratinocyte Growth Factor Serum</p> 	<p>Human Derived Keratinocyte Growth Factor Serum with anti-inflammatory markers</p> <ul style="list-style-type: none"> • Skin calming • Rosacea, • Eczema • Scars • Enhances the mitotic proliferation, migration, and differentiation of keratinocytes 	<p>Store at 36-50°F</p> <ul style="list-style-type: none"> • Suitable for all Fitzpatrick • Superficial (top of skin) vs. Fibroblast Growth Factor which works deeper. • Always keep refrigerated • Must microneedle or use with a peel <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling • Chemical Peel • Mesotherapy • Can be used with all RX products <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Retinol Diluent 3 % • Vitamin E Therapy • Enzymatic Therapy • Peptide Therapy
--	---	---	--

<p>Melanocyte Growth Factor</p> 	<p>Human Derived Melanocyte Growth Factor Serum with pigment correction markers</p> <ul style="list-style-type: none"> • Pigmentation Correction • Treatment for hypopigmentation • Vitiligo (see below) • Albinism (see below) <p>Vitiligo – will protect skin from sun and products but MAY only bring some color back and it would take a long time to see the color.</p> <p>Albinism - will protect skin from sun and products but will not bring color back.</p>	<p>Store at 36-50°F</p> <ul style="list-style-type: none"> • Must microneedle or use with a peel • Always keep refrigerated • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy techniques • Chemical Peel • Microneedling • Can be used with all Rx products <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOMECARE</p> <ul style="list-style-type: none"> • Skin Biotic Cream • Enzymatic Therapy
--	---	---	--

<p>Redermalization HA</p> 	<p>Hyaluronic Acid & Sodium Hyaluronate</p> <ul style="list-style-type: none"> • Instant firming and tightening • Wrinkles • Anti-aging • Sagging Skin • Non-Crosslinked skin booster • Dermal Collagen Reconstruction Serum • HA replenish agent • Any skin • GREAT TO MICRONEEDLE IN 2-3 DAYS BEFORE AN EVENT • 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • When using this product after a peel, make sure to use a clean syringe (should always in any case) AND that the peel that you used prior to this products is massaged in completely • Must microneedle or use with a peel • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy techniques • Chemical Peel • Microneedling • Can be used with all Rx products <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • HA Serum 3 % • Retinol Serum • Collagen Serum
--	---	---	--

<p>Seborrheic Peel</p> 	<p>10 % Salicylic Acid</p> <p>20 % Lactic Acid</p> <p>pH: 1.0</p> <ul style="list-style-type: none"> • Pigmentation • Dark Spots • Blemishes • Tyrosinase inhibitor complex with anti-inflammatory actives • Advances skin densification peel 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Do not use if you are allergic to aspirin • Can be a stand alone treatment • Do not have to microneedle • If you use it on a client with inflamed skin – apply Wound Occlusive after the treatment • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>NOTE –Follow Biomedical Peel protocol and conclude with one application of the Wound Occlusive if there is a reaction prior to sending the patient home. The patient should only remove / rinse their skin the morning after the treatment.</p> <p>CAN BE USED WITH</p> <p>Can be used with all Rx products</p> <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Facial Cleanser • Anti-Acne Serum • Enzymatic Therapy • Wound Occlusive
---	--	---	--

<p>Complexion Peel</p> 	<p>15 % Kojic Acid</p> <p>20 % Glycolic Acid</p> <p>10 % Salicylic Acid</p> <p>20 % Lactic Acid</p> <p>pH: 1.0</p> <ul style="list-style-type: none"> • GLOW • Pigmentation • Dark spots • Blemishes • Hydration • Anti-aging • Tyrosinase inhibitor complex with anti-inflammatory actives • Advances skin densification peel 	<ul style="list-style-type: none"> • DO NOT USE IF ALLERGIC TO ASPIRIN • Can be used as a stand alone treatment • Do not have to microneedle • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>NOTE - This treatment can be performed approximately 14 days after Plasma treatments to resurface any possible post inflammatory hyperpigmentation.</p> <p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling • Can be used with all Rx products <p>POST TREATMENT See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Dark Spot Corrector Serum • Complexion Corrector Cream • Collagen Serum
---	--	--	---

<p>Gluta Therapy</p> 	<p>Pharmaceutical grade Glutathione</p> <ul style="list-style-type: none"> • Tyrosinase inhibitor complex • Treatment for skin lightening • Treatment for hyper-and hypopigmentation • Vitiligo • Albinism • Anti-aging • Must microneedle or use with a peel 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Must microneedle or use with a Peel • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling • Chemical Peel • Mesotherapy Techniques • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Dark Spot Correction Serum • Complexion Corrector Cream
---	--	---	--

<p>L-Carnitine Conjugate</p> 	<p>Pharmaceutical grade L-Carnitine 5 %</p> <ul style="list-style-type: none"> • Great for dull skin • Reduces sebum production • Gives energy to cells • Anti-Oxidant • Advanced cellulite treatment • Assist with hair growth treatments • Must microneedle or use with a Peel 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Suitable for all Fitzpatrick • For scalp treatment microneedle with Bio-Glycolic 25%, Skin Perfusion and PRP Scalp Serum – must take the Scalp Serum home <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p> <p>FOR HAIR GROWTH – SEE SPECIFIC PROTOCOL</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling • Chemical Peel • Mesotherapy Techniques • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Anti-Acne Serum • Enzymatic Therapy • Scalp Serum
---	---	---	---

<p>Mitochondria ATP⁺</p> 	<p>20 % Co-Enzyme Q10 2 % NAD</p> <ul style="list-style-type: none"> • Great if client doesn't want Retinol • Anti-Aging • Firming • Stretchmarks • Krebs Cycle Catalyst • Anti-oxidant • Improves skin immunity • Promotes high cell turnover rate <p>Better for stretchmarks than aRetQ10 but does not help discoloration.</p>	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Always make dots using the product • apply last except with CBD • MUST microneedle • Will stain brushes. • Might have light flaking • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling • Chemical Peel • Mesotherapy techniques • Cannot be used with GSM / a-RetQ10 <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • HA Serum 3 % • Retinol Diluent • Peptide Therapy
--	--	---	--

<p>AHA Glycolic Peel</p> 	<p>Glycolic Acid</p> <p>35 % / 50 % / 70 %</p> <p>pH: 1.0</p> <p>50% and 70% are only for MD's.</p> <ul style="list-style-type: none"> • Jack of all trades – good for everything and everyone • Acne scarring • Scarring • Aging • Melasma • Photo-aging • Anti-aging • Collagen contracting • Keloid & Hypertrophic scars – do not microneedle so may want to use Biostratum instead • Collagen contracting 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Must do 2 treatments of Bio-Glycolic 25% before using Glycolic 35% • Can be used as a stand alone treatment • Do not have to microneedle • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling Mesotherapy Techniques • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • HA Serum 3 % • Peptide Therapy • Retinol Diluent 3 %
---	---	--	--


<p>BHA Salicylic Acid Peel</p> 	<p>Salicylic Acid</p> <p>30 % / 40 %</p> <p>pH: 1.0</p> <ul style="list-style-type: none"> • Anti-inflammatory • Acne scarring • Sebum suppressor • Acne • Eczema • Rosacea 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • DO NOT USE IF ALLERGIC TO ASPIRIN • Use instead of bio-salicylic 25% if you want to needle (easier without crystals) • Must do 2 treatments with 30% before doing 40% • Can be used as a stand alone treatment • Do not have to microneedle • Can apply to eyelids for eczema • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling Mesotherapy Techniques • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Skin Repair Serum • Anti-Acne Serum • Peptide Therapy • Enzymatic Therapy
--	---	---	--

<p>Kojic Acid Peel</p> 	<p>Kojic Acid</p> <p>40 % / 50 %</p> <p>pH: 1.0</p> <ul style="list-style-type: none"> • Tyrosinase inhibitor • Skin lightening treatment • Hyperpigmentation • Reduces sebum production • Post-inflammatory hyperpigmentation 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Can be used as a stand alone treatment • Do not have to microneedle • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling Mesotherapy Techniques • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • HA Serum 3 % • Retinol Night • Peptide Therapy
--	---	--	--

<p>Azelaic Acid</p> 	<p>Azelaic Acid 20 %</p> <p>pH: 2.0</p> <ul style="list-style-type: none"> • Reduces Sebum Production • Only for excess oil production – with or without acne • Must microneedle or use with a Peel 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Must microneedle or use with a Peel • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Chemical Peel • Microneedling Mesotherapy Techniques • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Dark Spot Serum • Anti-Acne Serum • Retinol Night • Enzymatic Therapy
--	--	---	---

<p>Tranexamic Acid</p> 	<p>Tranexamic Acid 20 %</p> <p>pH: 2.0</p> <ul style="list-style-type: none"> • Only for pigmentation and uneven skin tone • Tyrosinase inhibitor 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Suitable for all Fitzpatrick • not the best when used alone but amazing when used in combination with the other anti-pigmentation products <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Chemical Peel • Microneedling Mesotherapy Techniques • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • Dark Spot Serum • Complexion Corrector Cream • Retinol Night
---	---	---	---

<p style="text-align: center;">CBD</p> 	<p>Cannabidiol</p> <p>pH: 5.2</p> <ul style="list-style-type: none"> • Eczema • Dermatitis • Tyrosinase inhibitor • Inflammation inhibitor • Pain relief • Reduces oxidative stress • Protection gains UV stressors <p style="text-align: center;">Apply last with all treatments</p>	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • DO NOT TAKE WITH ACCUTANE • Apply last with all treatments • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH:</p> <ul style="list-style-type: none"> • Chemical Peel • Microneedling Mesotherapy Techniques • Can be used with all Rx products (always apply as last of the Rx products) <p>NOTE - It is advised that the CBD microneedling protocol be followed with ANY of the Rx ingredients for pigmentation, acne, anti-aging, scar treatments, alopecia and wound care as long as it is used as the final step in the microneedling treatment.</p> <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <hr/> <p>See page 51</p> <hr/> <p>CBD drops (not the vial) can be used as homecare.</p>
---	---	--	---


<p>Adipocyte Solution</p> 	<p>Lipolysis treatment</p> <p>L-carnitine</p> <p>Ascorbic Acid</p> <p>Phosphatidylcholine</p> <p>pH: 4.0</p>	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Suitable for all Fitzpatrick 	<p>CAN BE USED WITH</p> <p>Can be combined with a cavitation treatment or any other mechanical lipolysis treatment 24 hours after the injection.</p> <p>REFER TO PROTOCOL FOR DIRECTIONS</p>
--	--	--	--

<p>Skin Perfusion Diluent</p> 	<p>Skin Perfusing Agent</p> <p>50 % DMSO (Dimethyl Sulfoxide)</p> <ul style="list-style-type: none"> • Counteracts ischemia • smokers skin • dull, sallow skin • Acne control • Rosacea • Eczema • Pruritus' • "Painful skin" • Potent anti-oxidant • Bacteriostatic effective 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Must microneedle or use with a Peel • Warn clients that it smells strange Suitable for all Fitzpatrick • Hair growth protocol: microneedle every 4-6 weeks with PRP Scalp Serum, Bio-Glycolic 25%,Skin Perfusion Diluent <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p> <p>FOR HAIR GROWTH - SEE SPECIFIC PROTOCOL</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy Nappage method. • Chemical Peel • Microneedling • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p> <hr/> <p>SUGGESTED HOME CARE</p> <ul style="list-style-type: none"> • HA Serum 3% • Retinol Night • Peptide Therapy
--	--	---	--

<p>HA Serum 3 %</p> 	<p>10 kDA Hyaluronic Acid</p> <p>Sodium Hyaluronate</p> <ul style="list-style-type: none"> • Advanced anti-aging • Suitable for the treatment of old keloid and hypertrophic scars – do not microneedle • Advanced skin tensile agent <p>This is mainly for a client who wants something extra.</p> <p>Nice to massage into a healed scar.</p>	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Needs to be slowly massaged in • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling • Post home care treatment after Dermal Filler injections and insertion of threads. • Homecare – use every 2nd night <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <p>See page 51</p>
--	---	--	--

<p>Intimate Complexion Enhancement – Vaginal Brightening Serum</p> 	<ul style="list-style-type: none"> -Glutathione -Arbutin -Hyaluronic Acid -Ascorbic Acid -Phenylalanine -Malic Acid -Lactic Acid, -Retinyl Palmitate -Tertiary Peptide -Vaginal Microbiota <ul style="list-style-type: none"> • pH balanced: pH 4.0 • Pigment corrector • Ingrown hair • Can also be used on other intimate skin areas such as nipples or areolas • Do not use on anal area • Fast absorbing • Anti-oxidant • No Hydroquinone • Paraben Free • No fragrances or dyes 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • DO NOT USE IF ALLERGIC TO VITAMIN C • Good to do ½ bottle at home and then get a microneedling treatment (with other products) and then finish the bottle at home • For the microneedling treatment – you would use whatever you would use for the face. <p>Example: For pigmentation you could use: Bio-Glycolic 25%, Niacinamide Diluent 10% and Complexion Peel. Another example For ingrown hair:– Niacinamide Diluent 10%, Bio-Glycolic 25%, RX Salicylic 30% and Seborrhic Peel (if acne)</p> <ul style="list-style-type: none"> • Can microneedle at 0.75 max. • Suitable for all Fitzpatrick 	<p>MEANT FOR</p> <p>Pre and Post home care after vaginal rejuvenation treatments (microneedling).</p> <p>AT HOME DIRECTIONS: Do not use with bleaching products</p> <p>Apply before bed For external use only</p> <p>Not for internal use. Only for area that you can visually see</p> <p>Do not use before intimacy</p> <p>Do not use on anal area</p> <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>
---	--	--	--

<p>Intimate Complexion Enhancement – Anal Brightening Serum</p> 	<p>Glutathione Arbutin Hyaluronic Acid Ascorbic Acid Phenylalanine Malic Acid Lactic Acid, Retinyl Palmitate Tertiary Peptide Anail Microbiota</p> <ul style="list-style-type: none"> • pH balanced: pH 7.0 • Pigment corrector • Fast absorbing • Anti-oxidant • No Hydroquinone • Paraben Free • No fragrances or dyes • Do not use on vaginal area 	<p>Store at or below 77°F</p> <p>DO NOT USE IF ALLERGIC TO VITAMIN C</p> <p>Good to do ½ bottle at home and then get a microneedling treatment (with other products) and then finish the bottle at home</p> <p>For the microneedling treatment – you would use whatever you would use for the face.</p> <p>Example: For pigmentation you could use: Bio-Glycolic 25%, Niacinamide Diluent 10% and Complexion Peel.</p> <p>Can microneedle at 0.75 max.</p> <p>Suitable for all Fitzpatrick</p> <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>USED</p> <p>Pre and Post home care treatment after Anal rejuvenation treatments (microneedling)</p> <p>AT HOME DIRECTIONS</p> <ul style="list-style-type: none"> • Do not use with bleaching agents • Do not use before intercourse • Use before you go to bed • Not for internal use. Only for area that you can visually see • Do not use on vaginal area
--	---	---	--

<p>PRP Scalp Serum</p> 	<p>Caffeinyl Analogs</p> <p>Tissue Protective Peptides</p> <p>Hexa Peptide</p> <ul style="list-style-type: none"> • Alopecia • Follicle stimulant • Prevents hair loss • Stimulate hair growth • Tissue Repair Mechanisms • Decrease inflammation in scalp • Inhibits scaling and flaking 	<ul style="list-style-type: none"> • Must Microneedling • Must have an active hair follicle for it to work. • For scalp treatment microneedle every 4-6 weeks with PRP Scalp Serum, Bio-Glycolic 25%,Skin Perfusion • Client must take the Scalp Serum home 	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Microneedling • Mesotherapy • Can be used with all Rx products <p>HEMOCARE</p> <ul style="list-style-type: none"> • Scalp Serum – 2-3 times daily <p>SEE HAIR TREATMENT PROTOCOL</p>
---	--	---	---

<p>Wound Occlusive – not an RX product but used with RX products.</p> 	<p>50% Medical Honey</p> <p>0.02 % Chlorhexidine</p> <p>Apis extract</p> <p>Zinc Oxide</p> <p>Tocopherol Acetate (Vitamin E)</p> <p>Niacinamide</p> <p>Lactic Acid</p> <p>Shea Butter</p> <p>Coconut Oil</p> <ul style="list-style-type: none"> • Occlusive • Open / closed wounds • Post treatment application • Eczema • Rosacea • Psoriasis 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • Suitable for all Fitzpatrick 	<p>NOTE – Post-treatment care packs available for Plasma or semi invasive treatments (15 ml Peptide Therapy & 15 ml Wound Occlusive)</p> <p>Should be used after professional treatments in the evening – after 24 hours.</p> <p>For wounds: apply to wounds and leave closed for 72 hours; refer to protocol.</p>
--	--	--	---

<p>Ascorbic Acid</p> 	<p>Ascorbic Acid 20 %</p> <p>pH: 1.0</p> <ul style="list-style-type: none"> • Pigmentation • Tyrosinase inhibitor • Advanced anti-oxidant • Pigment Brightening agent • Must microneedle or use with a Peel 	<p>Store at or below 77°F</p> <ul style="list-style-type: none"> • DO NOT USE IF ALLERGIC TO VITAMIN C • Suitable for all Fitzpatrick <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy Techniques • Microneedling • Chemical Peel • Can be used with all Rx products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <hr/> <p>See page 51</p>
---	--	--	---

<p>Retinol Diluent 3 %</p> 	<p>Retinol 3 %</p> <ul style="list-style-type: none"> • Advanced anti-aging • Suitable for the treatment of old keloid and hypertrophic scars – do not microneedle • Only use in the evenings. 	<p>Store at or below 77°F</p> <p>Do not use with any other Retinol product. Strongest Retinol we have.</p> <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>USE:</p> <p>Post home care treatment after advanced anti-aging procedures</p> <p>Only use on face after a Retinol Serum and Retinol Night has been used.</p> <p>POST TREATMENT See page 51</p> <hr/> <p>AT HOME DIRECTIONS</p> <p>Every time you start a new Retinol you should start it every 3 days for a week – then every 2 days for a week – then every day if can tolerate.</p> <p>You should start with the Retinol Serum then the Retinol Night and then the Retinol Diluent(if you want stronger).</p> <p>do not use Retinol Diluent every night – can use every second night</p>
---	---	--	--

<p>Niacinamide Diluent 10 %</p> 	<p>Vitamin B3</p> <ul style="list-style-type: none"> • Pigmentation • Calming • Stretchmarks • Decreases inflammation • Tyrosinase Inhibitor • Skin brightening agent • Anti-oxidant • Great to use with most microneedling treatments. 	<p>Store at or below 77°F</p> <p>Must microneedle or use with a Peel</p> <p>Great to use with most microneedling treatments.</p> <p>SEE PROTOCOL ON MICRONEEDLING PAGE</p>	<p>CAN BE USED WITH</p> <ul style="list-style-type: none"> • Mesotherapy • Microneedling • Chemical Peel • Can be used with all RX products <p>PROTOCOL FOR HOMECARE DIRECTLY AFTER TREATMENT</p> <hr/> <p>See page 51</p>
--	---	--	--

SUGGESTED PROTOCOLS
FOR
ADVANCED PROFESSIONAL TREATMENTS

CONTRAINDICATIONS

Pregnancy.

Topical dermatitis.

Any allergies to these ingredients.

Roaccutane.

Sunburn.

Accutane

- if on a low dose – the only treatment – Bio-Glycolic 25% plus CBD
- if on a high dose - wait 4 months before peel.
- if going to start Accutane, do a treatment 1 month before they start.

CONDITIONS TO BE CAUTIOUS WITH

Diabetes.

Fever blisters.

Retinol – stop 7 days before treatment and do not start retinol after peel for 4 nights.

Adipocyte Solution

Treatment Information

Prep for client:

- Drink 2L of hot water the day before the treatment
- On the day of the treatment drink at least 750ml hot water prior to the treatment
- Do not drink any alcohol prior to the treatment or while you are busy with the treatment program
- Take photos of the area and do measurements before you do the first treatment



BEFORE

AFTER

Treatment information:

- Assess the area and identify the area where injections will be done
- Always wear gloves and sanitise your hands before starting
- Wipe the area with alcohol swabs before injecting and after injecting
- Pinch the skin a bit, insert the injection and slowly inject the Adipocyte into the skin
- Sessions will be performed every 8 days
- 6-8 injections will be done per session (0,5ml injections)
- Only one area can be done per session
- Injections should be done 10cm's apart

Aftercare:

- Drink 2l of hot water for 72 hours after the procedure
- Do not exercise for 48 hours after the treatment

BioMedical
EMPORIUM



Adipocyte Solution

Treatment Information

Contraindications:

- Any auto-immune disease
- Diabetes
- Kidney disease
- Heart disease
- Pregnant or lactating women
- Anyone under the age of 18
- Active cancer

What can the client expect?

- When using the injections blood spotting can occur in the area
- When injecting the Adipocyte solution, the client can experience a burning sensation
- Redness in site of injections is normal due to Ascorbic Acid
- Tenderness and hardening of the areas where injected are normal; Give Metabolic Massage oil to massage with
- L-Carnitine can make muscles feel like it is sore from exercising

FOR INFORMATION IN THE USA CONTACT

BIOKOSMETIK OF TEXAS
800-729-1242 : 281-277-9494
karen@biokosmetikoftexas.com
www.Biokosmetikoftexas.com

BioMedical
EMPORIUM



Bio-Restore Luxury Skin Care Treatment (Facial without Microneedling or Peels)

Treatment Name		BIO-RESTORE LUXURY SKINCARE TREATMENT	
Treatment Time	60 - 75 min	Recommended Retail Price	
Treatment Cost			
TREATMENT APPLICATION			
Remove makeup (Optional)	<ul style="list-style-type: none"> - Biomedical Emporium MAKEUP REMOVER - Sprits 5 pumps onto cotton wool (2 ml) - Remove eye makeup and lipstick 		
Cleanse skin thoroughly	<ul style="list-style-type: none"> - Biomedical Emporium LUMINOUS MILK CLEANSER / FACIAL CLEANSER - Apply 1 pump onto fingertips - Lather hands with water and cleanse - Rinse skin with warm water 		
Preparation of skin	<ul style="list-style-type: none"> - Biomedical Emporium FACIAL CLEANSER - Apply 1 pump onto fingertips - Spread over face - Leave on for 7-10 minutes with Steamer for gentle exfoliation - Rinse skin with warm water 		
Revitalize the skin	<ul style="list-style-type: none"> - Biomedical Emporium VITAMIN AND MINERAL SPRITZ - Sprits 5 pumps onto clean skin (2 ml) 		
Extractions/hair removal	<ul style="list-style-type: none"> - Ideal to do extractions in this step or perform facial waxing treatment 		
Cleanse skin thoroughly (if extractions performed)	<ul style="list-style-type: none"> - Biomedical Emporium FACIAL CLEANSER - Apply 1 pump onto fingertips - Work into lather with wet hands - Rinse skin with warm water 		
Restore and calm	<ul style="list-style-type: none"> - Biomedical Emporium SKIN REPAIR SERUM to be applied after waxing and extractions - Perform High Frequency over Skin Repair Serum (optional) 		

Hydration and strengthen	<ul style="list-style-type: none"> - Biomedical Emporium HA CONTOUR MASQUE (Dry, dehydrated, normal skin types) / Biomedical Emporium PEPTIDE THERAPY (inflamed, sensitised, acne skin types) - Apply 2 pumps onto fingertips and gently massage into the skin - Perform lash and brow tint treatments in this step (OPTIONAL)
Relaxation and nourishment of décolleté	<ul style="list-style-type: none"> - Biomedical Emporium METABOLIC MASSAGE OIL - Apply 2 pumps onto fingertips and massage into the décolleté for 10 minutes - Remove Biomedical Emporium HA CONTOUR MASQUE / PEPTIDE THERAPY & tint afterwards
Revitalise the skin	<ul style="list-style-type: none"> - Biomedical Emporium VITAMIN AND MINERAL SPRITZ - Spritz 5 pumps onto clean skin (2 ml)
Replenish the skin with appropriate serum	<ul style="list-style-type: none"> - Biomedical Emporium COLLAGEN SERUM - dehydration - Biomedical Emporium SKIN REPAIR SERUM – sensitive/inflamed skin - Biomedical Emporium DARK SPOT CORRECTOR SERUM - pigmentation - Biomedical Emporium ANTI-ACNE SERUM - acne - Apply 1 pump onto fingertips and gently massage into the skin
Eye-Revitalize	<ul style="list-style-type: none"> - Biomedical Emporium EYE STRUCTURE GEL - Apply 1 pump onto ring fingers and gently apply onto the skin around the eyes and the lips
Protect the skin	<ul style="list-style-type: none"> - Biomedical Emporium TRANSLUCENT DAY SPF 30. - Apply 1 pump onto fingertips and gently apply on the skin

MICRONEEDLING

1. COLLAGEN INDUCTION THERAPY



1.1 Collagen Induction Therapy / Microneedling

Collagen Induction Therapy (CIT), also known as microneedling or medical skin needling, is a minimal invasive skin rejuvenating treatment, designed to improve skin conditions such as ageing and static collagen production, pigmentation and scarring by revitalising, retexturing, and inducing long-term collagen production. This treatment can be done on your face and body and products are actively absorbed in dedicated areas.



1.2 Dermal Manufacturing Fibres

- The Dermis comprises of two layers namely the Papillary and Reticular layer.
- Fibroblast count and activity is higher in the Papillary layer than Reticular.
- Scarring occurs more often in the Reticular layer.
- With degeneration of collagen and elastin fibres – the two layers ‘switch count’ and is there less fibroblast activity and more scarring in the Papillary layer.


COLLAGEN	ELASTIN
<p>Made by fibroblasts (protein made by amino acids)</p> <p>Type I : 85 %</p> <p>Type III : 15 % (scar type)</p> <p>Gives strength and plumping effect</p> <p>Collagenase – loss or breakup of collagen</p> <p>Maintain structure</p> <p>Collagen increase skin firmness and tightness, lessening the signs of ageing</p>	<p>Allow skin to reshape, stretch and contract</p> <p>elastic fibres are absent from scarring processes such as scars, keloids, and dermatofibromas</p> <p>Elastic fibres in the papillary dermis are thin and, oriented perpendicular to the epidermis, whereas elastic fibres in the reticular dermis are thicker and tend to be arranged mostly parallel to the skin surface.</p> <p>Elastosis – accumulation of old and new elastin, causing sagging and thinning of skin</p>



MECHANISM OF COLLAGEN FORMATION



2.7 Aesthetic Biomedical Healing



Standard Bio-Microneedling Treatment Protocol with Glycolic 25% plus Rx or Serum
(see hair treatment protocol for hair growth)

Treatment Name		STANDARD BIO-MICRONEEDLING TREATMENT	
Treatment Time	60 - 75 min		
TREATMENT APPLICATION			
Cleanse skin thoroughly	<ul style="list-style-type: none"> - Biomedical Emporium FACIAL CLEANSER - Pump 1 ml onto fingertips - Work into lather with wet hands - Leave on for 2 minutes - Rinse skin with warm water 		
Preparation of skin	<ul style="list-style-type: none"> - Biomedical Emporium CONDITIONING SERUM - Apply 1/2 pump onto fingertips and gently massage into the skin - Micro-channel at 0.5 mm 		
Exfoliation & Treatment of skin	<p>TREATMENT 1:</p> <ul style="list-style-type: none"> - Apply 1ml of 25% Bio-Glycolic - Massage until you lose slip. - Do not microneedle (wait 2-4 weeks) <p>TREATMENT 2:</p> <p>Apply 1ml of 25% Bio-Glycolic</p> <ul style="list-style-type: none"> - Massage until you lose slip. - Microneedle at 0.5 mm <p>Apply 1st RX or Serum</p> <ul style="list-style-type: none"> - Massage until you lose slip. - Microneedle at 0.5 mm <p>Apply 2nd RX or Serum</p> <ul style="list-style-type: none"> - Massage until you lose slip. - Microneedle at 0.5 mm <p>TREATMENT 3</p> <p>Apply 1ml of 25% Bio-Glycolic</p> <ul style="list-style-type: none"> - Massage until lose slip. - Microneedle at 0.5 mm – if client did not peel from last treatment. <p>Apply 1st RX or Serum</p> <ul style="list-style-type: none"> - Massage until you lose slip. - Microneedle at 0.5 mm – if client did not peel from last treatment 		

	<p>Apply 2nd RX or Serum</p> <ul style="list-style-type: none"> - Massage until you lose slip. - Microneedle at 0.5 mm – if client did not peel from last treatment <p>Apply 3rd RX or Serum</p> <ul style="list-style-type: none"> - Massage until you lose slip. - Microneedle at 0.5 mm – if client did not peel from last treatment <p>FUTURE TREATMENTS</p> <p>CONTINUE LIKE TREATMENT 3 EXCEPT:</p> <ul style="list-style-type: none"> • Can use different Rx/Serums • Alternate microneedling if client peeled from previous treatment. Example microneedle one month and then not microneedle the next month and then microneedle the following month
Hydrate the skin	<ul style="list-style-type: none"> - Biomedical Emporium COLLAGEN SERUM - Apply 2 pumps onto fingertips and gently massage into the skin. - Microneedle at 0.5 mm
Revitalize the skin	<ul style="list-style-type: none"> - Biomedical Emporium CONSTRUCT SERUM - Apply 1 small pump onto fingertips and gently massage into the skin
Calm the skin	<ul style="list-style-type: none"> - Biomedical Emporium® SKIN REPAIR SERUM - Apply 1 small pump on fingertips and gently massage into the skin
Protect the skin	<ul style="list-style-type: none"> - Biomedical Emporium TRANSLUCENT DAY SPF 30. - Apply 1 small pump onto fingertips and gently apply on the skin

Homecare	<p>Always advise your client;</p> <ul style="list-style-type: none">- DO NOT TOUCH their skin with anything for 24 hours- DO NOT CLEANSE their skin for 24 hours- DO NOT DO EXCESSIVE EXERCISE for 24 hours- DO NOT MAKE USE OF RETINOL for 72 hours- NO DIRECT SUN EXPOSURE for 24 hours- AVOID USING MAKE-UP for 24 hours <ul style="list-style-type: none">- Clients should only rinse their skin with lukewarm water the morning after the treatment followed by Peptide Therapy and Translucent Day SPF30. Facial Cleanser can be introduced 24 hours after the treatment. Apply Wound Occlusive every evening starting 24 hours after the treatment.- Clients should use Peptide Therapy (am) and Wound occlusive (pm) for 3 days then they can continue with their normal skin routine.- Optional: Skin Repair Serum can be applied in the first 3 days for extra nourishment.
----------	--

Hair Growth Treatment Protocol

SHOULD MICRONEEDLE EVERY 4 – 6 WEEKS

BEST IF CLIENT USES ½ BOTTLE OF SCALP SERUM – THEN COMES IN FOR MICRONEEDLING TREATMENT – THEN FINISHES THE SCALP TREATMENT AND CONTINUES WITH THIS SCHEDULE UNTIL SATISFIED WITH THE RESULT.

SHOULD ALWAYS CONTINUE WITH SCALP TREATMENT.

PROTOCOL

Separate hair with fingers

Spray area with HOCl

Apply 1 ml L-Carnitine and spread gently.

Microneedle 0.5

Apply 1 ml PRP Scalp Treatment and spread gently

Microneedle 0.5

Apply 1 ml Skin Perfusion Diluent and spread gently

Microneedle 0.5

Massage area vigorously until product has penetrated

HEMOCARE:

Scalp Serum 2-3 times a day

Don't wear a hat if possible

Rx Protocol

Treatment & Aftercare Chart

RXP ROTOCOL

1. Facial Cleanser
2. Condition Serum
3. Gentle Micro-channelling (0.5 mm)
4. 25% Glycolic Acid Peel
5. Massage in leave some slip | micro-channelling (0.5 mm)
6. Rx Cocktail (max of three Rx products micro-needle after each one) - see cocktail options below
7. Construct Serum - massage in
8. Skin Repair Serum - massage in
9. Translucent Day SPF30



PIGMENTATION

Treatment	Homecare	AM/PM
1. Niacinamide Diluent 10%	Facial Cleanser	☀ AM ☾ PM
2. BioSyntha C	Skin Repair Serum	☀ AM ☾ PM
3. GSM	Skin Biotic Cream C	☀ AM
4. CBD	Translucent Day SPF30	☀ AM
5. TCA 25% / 30%	Complexion Corrector	☾ PM
6. Melanocyte Growth Factor Serum	Dark Spot Serum	☾ PM
7. Complexion Peel	Skin Biotic Supplement	☀ AM
8. Glutha Therapy	Retinol Night	☾ PM
9. Kojic Acid		
10. Tranexamic Acid		
11. AHA Glycolic Peel		
12. Azelaic Acid		
13. Mitochondria ATP+		
14. αRetQ10		



ACNE

Treatment	Homecare	AM/PM
1. Niacinamide Diluent 10%	Facial Cleanser	☀ AM ☾ PM
2. CBD	Skin Repair Serum	☀ AM ☾ PM
3. GSM	Translucent Day SPF30	☀ AM
4. Mitochondria ATP+	Anti-Acne Serum	☾ PM
5. αRetQ10	Retinol Diluent 3%	☾ PM
6. Seborrhic Peel	Enzymatic Therapy	☾ PM
7. L-Carnitine Conjugate		
8. BHA Salicylic Acid		
9. Kojic Acid		
10. Skin Perfusion Diluent		
11. Azelaic Acid		



Rx Protocol

Treatment & Homecare Chart



ANT-AGE NG

Treatment	Homecare	AM/PM
1. Niacinamide Diluent 10%	Luminous Milk Cleanser	☀ AM ☾ PM
2. GSM	Facial Cleanser	☀ AM ☾ PM
3. Fibroblast Growth Factor Serum	3% HA Diluent	☀ AM ☾ PM
4. Keratinocyte Growth Factor Serum	Skin Biotic Cream C	☀ AM ☾ PM
5. Redermalization HA	Collagen Serum	☀ AM ☾ PM
6. Mitochondria ATP+	Eye Structure Gel	☀ AM ☾ PM
7. RetQ10	Translucent Day SPF30	☀ AM
8. AHA Glycolic Peel	Périphérique	☾ PM
9. CBD	Retinol Serum	☾ PM
10. Complexion Peel	HA Contour Masque	☀ AM
11. TCA 25% / 30%	Retinol Night	☾ PM
	Retinol Diluent 3%	☾ PM



SCALP

Treatment	Homecare	AM/PM
1. Niacinamide Diluent 10%	Scalp Serum	☾ PM
2. PRP Scalp Serum		☀ AM
3. L-Carnitine Conjugate		
4. Redermalization HA		
5. GSM		
6. CBD		



SENSITIVE ECZEMA

Treatment	Homecare	AM/PM
1. Niacinamide Diluent 10%	Luminous Milk Cleanser	☀ AM ☾ PM
2. Keratinocyte Growth Factor Serum	Skin Repair Serum	☀ AM
3. BHA Salicylic Acid	Vitamin and Mineral Spritz	☀ AM ☾ PM
4. CBD	Peptide Therapy	☾ PM
5. Skin Perfusion Diluent	Translucent day SPF 30	☀ AM
	Skin Biotic Cream C	☀ AM ☾ PM
	Périphérique	☀ AM ☾ PM



SCARR NG

Treatment	Homecare	AM/PM
1. Niacinamide Diluent 10%	Bio-Body Peel	☾ PM
2. TCA 25% / 30%	Stretchmark +Cellulite Therapy	☾ PM
3. GSM	Q10 Tissue Oil	☀ AM
4. Mitochondria ATP+	Périphérique	☀ AM ☾ PM
5. Fibroblast Growth Factor Serum		
6. Keratinocyte Growth Factor Serum		
7. Redermalization HA		
8. AHA Glycolic peel		
9. CBD		
10. HA Serum 3%		



TREATMENT SUGGESTIONS PER SKIN CONCERN

BASIC PROTOCOL:

Cleanser, Condition Serum, Bio-Glycolic peel 25%, Baseline products (see below), **choose a maximum of 2 from below (READ SPECIFIC INFORMATION FOR EACH PRODUCT ABOVE AND READ THE MICRONEEDLING PROTOCOL),** Construct Serum, Skin Repair Serum, SPF 30

PIGMENTATION	ACNE
<p>TREATMENT PLAN Use a maximum of 3 products from below:</p> <p>EXAMPLE (#2 has 2 products, you can choose 1 more)</p> <ol style="list-style-type: none"> 1. Complexion Peel 2. 10 % Niacinamide Diluent & Kojic Acid 40 % (Peel) 3. 10 % Niacinamide Diluent & Gluta Therapy (Microneedling) 4. Gold Standard Microneedling 5. 10 % Niacinamide Diluent & Ascorbic Acid (Microneedling) <p>SUGGESTED RETAIL</p> <ol style="list-style-type: none"> 1. Dark Spot Corrector Serum (PM) 2. Complexion Corrector Cream (AM & PM) 3. Translucent Day SPF30 (AM) 4. Skin Repair Serum (AM) 	<p>TREATMENT PLAN Use a maximum of 3 products from below:</p> <p>EXAMPLE (#2 has 2 products, you can choose 1 more)</p> <p>:</p> <ol style="list-style-type: none"> 1. 10 % Niacinamide Diluent & Gold Standard Microneedling 2. 10 % Niacinamide Diluent & Seborrhic Peel 3. 10 % Niacinamide Diluent & Kojic Acid 40 % & GSM Gold 4. Complexion Peel & Kojic Acid & GSM Gold 5. BHA Salicylic Acid 30 % & Lactic Acid 40 % Layering <p>SUGGESTED RETAIL</p> <ol style="list-style-type: none"> 1. Facial Cleanser (AM & PM) 2. Anti-Acne Serum (PM) 3. Retinol Diluent 3 % (PM)Inflammation Serum (PM)

SCARRING / STRETCHMARKS	ANTI-AGING
<p>TREATMENT PLAN Use a maximum of 3 products from below:</p> <p>EXAMPLE (#2 has 2 products, you can choose 1 more)</p> <ol style="list-style-type: none"> 1. TCA 20 % / 30 % Peel (practitioner only) 2. Gold GSM & Redermalization HA 3. Gold GSM & Redermalization HA & FGF (Microneedling/Meso) 4. Gold GSM & Kojic Acid 40 % & Ascorbic Acid (") 5. Gold GSM & KGF (") <p>SUGGESTED RETAIL</p> <ol style="list-style-type: none"> 1. Bio-Body Peel Set 2. Stretchmark & Cellulite Therapy 3. Tissue Protective Peptide 8 % 4. Q10 Tissue Oil 	<p>TREATMENT PLAN Use a maximum of 3 products from below:</p> <p>EXAMPLE (#2 has 2 products, you can choose 1 more)</p> <ol style="list-style-type: none"> 1. 10 % Niacinamide Diluent & FGF & Redermalization HA 2. 10 % Niacinamide Diluent & GSM Gold 3. Complexion Peel & Gold GSM 4. 10 % Niacinamide Diluent & Redermalization HA & KGF 5. 10 % Niacinamide Diluent & FGF <p>SUGGESTED RETAIL</p> <ol style="list-style-type: none"> 1. 3% HA Diluent 2. Tissue Protective Peptide 8 % 3. Retinol Serum 4. Luminous Milk Cleanser

BASIC PROTOCOL:

Cleanser, Condition Serum, Bio-Glycolic peel 25%, Baseline products (see below), choose a maximum of 2 from below (READ SPECIFIC INFORMATION FOR EACH PRODUCT ABOVE AND READ THE MICRONEEDLING PROTOCOL), Construct Serum, Skin Repair Serum, SPF 30

EXAMPLES OF SERIES OF TREATMENTS PER CONCERN

PROTOCOLS: Before application of peels: Use Facial Cleanser, Condition Serum
 After application of peels: Use Construct Serum, Skin Repair Serum and SPF
 Apply Wound Occlusive on top, in case of reaction.

ALL SKIN		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	NO	NO
2nd Treatment 2 weeks later	Bio-Glycolic 25%	YES	NO
	Rx Niacinamide Diluent 10%	YES	
	Rx CBD (always use last)	YES	
3rd Treatment 3 to 4 weeks later	Bio-Glycolic 25%	NO	YES
	Rx Niacinamide Diluent 10%	NO	
	Rx Complexion Peel	NO	
	Rx GSM (always use last)	NO	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			
HYDRATION		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	NO	NO
2nd Treatment 2 weeks later	Bio-Glycolic 25%	YES	NO
	Rx Fibroblast Growth Factor	YES	
	Rx Redermalization HA	YES	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			

PIGMENTATION		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	NO	NO
2nd Treatment 2 weeks later	Bio-Glycolic 25%	YES	NO
	Rx Complexion Peel	YES	
3rd Treatment 3 to 4 weeks later	Bio-Glycolic 25%	NO	YES
	Rx Complexion Peel	NO	
	Rx TCA or GMS (more peeling)	NO	
4th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	YES	YES
	Rx Complexion Peel	YES	
	Bio- SynthA C	YES	
5th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	NO	YES
	Rx Complexion Peel	NO	
	Rx TCA	NO	
	Rx GMS (always use last)	NO	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			
IF CLIENT IS ALLERGIC TO SYNTHA C OR DOES NOT WANT TO PEEL:			
3 to 4 weeks later	Bio-Glycolic 25%	YES	NO
	Rx Complexion Peel	YES	
	Rx Gluta Therapy	YES	
	Rx Niacinamide Diluent 10%	YES	

ACNE		NEEDLING	FLAKING/PEELING
NEVER MICRO-NEEDLING ON ACTIVE ACNE WITH PUSS			
Start with 6 treatments, in a row, 1 week apart with only Bio-glycolic 25% then:			
7th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	NO	YES
	Rx Seborrhic Peel - TCA 18%	NO	
8th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	YES	YES
	Rx Seborrhic Peel - TCA 18%	YES	
	Rx GMS	YES	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			
ACNE WITH SCARS		NEEDLING	FLAKING/PEELING
Start with 6 treatments, in a row, 1 week apart with only Bio-glycolic 25% then:			
7th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	YES	YES
	Rx Seborrhic Peel - TCA 18%	YES	
	Rx Salicylic Acid 40%	YES	
	Rx Niacinamide	YES	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			
ACNE WITH MILD PRODUCTS		NEEDLING	FLAKING/PEELING
Start with 6 treatments, in a row, 1 week apart with only Bio-glycolic 25% then:			
7th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	YES	YES
	Rx Seborrhic Peel - TCA 18%	YES	
	Rx Niacinamide	YES	
	Rx GSM	YES	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			

AGING - WRINKLES		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	NO	NO
2nd Treatment 2 weeks later	Bio-Glycolic 25%	YES	YES
	Rx Fibroblast Growth Factor	YES	
	Rx GSM	YES	
3rd Treatment 3 to 4 weeks later	Bio-Glycolic 25%	NO	YES
	Rx Fibroblast Growth Factor	NO	
	Rx Redermalization HA	NO	
	Rx GSM	NO	
4th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	YES	YES
	Rx Complexion	YES	
	Bio- SynthA C	YES	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			

AGING - LOST OF ELASTICITY		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	NO	NO
2nd Treatment 2 weeks later	Bio-Glycolic 25%	YES	NO
	Rx Fibroblast Growth Factor	YES	
3rd Treatment 3 to 4 weeks later	Bio-Glycolic 25%	NO	YES
	Rx Fibroblast Growth Factor	NO	
	Rx Keratinocyte Growth Factor Serum	NO	
	Rx @RetQ10	NO	
4th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	YES	YES
	Fibroblast Growth Factor	YES	
	Keratinocyte Growth Factor Serum	YES	
	Rx @RetQ10	YES	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			

SCALP - HAIR LOSS		NEEDLING	PEELING
Repeat same treatment Every 4 to 6 weeks			
1st Treatment	Bio-Glycolic 25%	YES	NO
	Rx L-Carnitine Concentrate	YES	
	Rx PRP Scalp Serum	YES	
	Rx Skin Perfusion Diluent	YES	
Keep on doing treatments every 4 weeks.			

SCALP - CRADLE CAP OR PATCHES OF DRY SKIN ON ADULT		NEEDLING	FLAKING/PEELING
Repeat same treatment Every 4 to 6 weeks			
1st Treatment	Rx Redermalization HA	YES	NO
	Rx CBD	YES	
Keep on doing treatments every 4 weeks.			

#1 Sensitive, Eczema, Dermatitis, Psoriasis		NEEDLING	PEELING
1st Treatment	Bio-Glycolic 25%	NO	
2nd Treatment 2 weeks later	Bio-Glycolic 25%	YES	NO
	Rx Salicylic Acid 30%	YES	
	Rx CBD	YES	
Keep on doing treatments every 4 weeks. Alternate needling			

#2 Sensitive, Eczema, Dermatitis, Psoriasis		NEEDLING	FLAKING/PEELING
If any inflammation			
1st Treatment	Bio-Glycolic 25%	NO	NO
2nd Treatment 2 weeks later	Bio-Glycolic 25%	NO	NO
	Rx Salicylic	NO	
	Rx CBD	NO	
3rd Treatment 3 to 4 weeks later	Bio-Glycolic 25%	YES	NO
	Rx Keratinocyte Growth Factor Serum		
	Rx Salicylic	YES	
	Rx CBD	YES	
4th Treatment 3 to 4 weeks later	Bio-Glycolic 25%	NO	NO
	Rx Keratinocyte Growth Factor Serum	NO	
	Rx Salicylic	NO	
	Rx CBD	NO	
Keep on doing treatments every 4 weeks. Alternate needling			

#2 Sensitive, Eczema, Dermatitis, Psoriasis		NEEDLING	FLAKING/PEELING
With pain			
1st Treatment	Bio-Glycolic 25%	NO	NO
2nd Treatment 2 weeks later	Bio-Glycolic 25%	NO	NO
	Rx Niacinamide Diluent 10%	NO	
	Rx Skin Perfusion	NO	
Repeat until pain is gone and then do #2			

PITTED OR SUNKEN SCARS		NEEDLING	FLAKING/PEELING
IT IS A STRONG TREATMENT			
1st Treatment	Bio-Glycolic 25%	NO	
2nd Treatment 2 weeks later	Bio-Glycolic 25%	YES	YES
	Rx Fibroblast Growth Factor	YES	
	Rx TCA 30%	YES	
	Rx GSM	YES	
	These treatment are a little bit much, but needed for scars		
3rd Treatment 3 to 4 weeks later	Bio-Glycolic 25%	YES	YES
	Rx Fibroblast Growth Factor	YES	
	Rx TCA 30%	YES	
	Rx GSM	YES	
4th Treatment 3 to 4 weeks later	Rx Glycolic 35% >if skin not sensitive	YES	YES
	Rx Fibroblast Growth Factor	YES	
	Rx TCA 30%	YES	
	Tx GSM	YES	
5th Treatment 3 to 4 weeks later	Rx Glycolic 35% >if skin not sensitive	YES	YES
	Rx Fibroblast Growth Factor	YES	
	Rx TCA 30%	YES	
	Rx GSM	YES	
Keep on doing treatments every 4 weeks. Alternate needling if customer peeled on previous treatment			

PITTED OR SUNKEN SCARS		NEEDLING	FLAKING/PEELING
NO PEELING			
1st Treatment	Bio-Glycolic 25%	NO	
2nd Treatment 2 weeks later	Bio-Glycolic 25%	YES	NO
	Rx Fibroblast Growth Factor	YES	
	Rx Redermalization or HA 3%	YES	
Keep on doing treatments every 4 weeks. Alternate needling			

KELOID/RAISED SCARS		NEEDLING	FLAKING/PEELING
NEVER NEEDLE OVER KELOIDS			
1st Treatment	Bio-Glycolic 25%	NO	
2nd Treatment 2 weeks later	Bio-Glycolic 25%	NO	YES
	Bio-Stratum, apply 1 layer on keloid, wait until it dries, if not frosting, apply a second layer	NO	
It will take months to reduce a keloid			
Keep on doing treatments every 4 weeks.			

INTIMATE TREATMENT		NEEDLING	FLAKING/PEELING
UNDERARMS, THIGHS, VAGINAL, ANAL AREA			
DO NOT WASH THE AREA WITH THE CLEANSER BUT SPRAY HOCI ON THE AREA			
EACH PRODUCT WILL BE APPLIED WITH A BRUSH, NO MASSAGE			
NEEDLING WILL BE DONE ON 0.5mm FOR PIGMENTATION *** ***0.75mm FOR LOST OF ELASTICITY			
For the vaginal area, apply products on the labia folds (Labia Majora) ***but not on the lips (Labia Minora)*** For the end of the treatment, use a little bit of CONSTRUCT SERUM, with a brush, wait until it dries, apply SKIN REPAIR SERUM, and OPTIMAL: HA CONTOUR MASK with LED for 10 min.			
PIGMENTATION		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	YES	NO
	Rx Niacinamide	YES	
	Rx Complexion Peel	YES	
	Rx Gluta Therapy	YES	
Keep on doing treatments every 4 to 6 weeks.			
SAGGING SKIN		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	YES	NO
	Rx Fibroblast	YES	
	Rx Niacinamide	YES	
	Rx Redermalization or Rx Keratinocyte Growth Factor or HA 3%	YES	
Keep on doing treatments every 4 to 6 weeks.			
INGROWN HAIR ok on beard, body. Underarm, bikini		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	YES	YES
	Rx Niacinamide	YES	
	Rx Seborrhic Peel because of Bacteria Activity	YES	
Keep on doing treatments every 4 to 6 weeks.			
SCARRING FROM INGROWN HAIR		NEEDLING	FLAKING/PEELING
1st Treatment	Bio-Glycolic 25%	YES	YES
	Rx Fibroblast	YES	
	Rx Niacinamide	YES	
	Rx TCA 24% OR 30%, applied only on scars, not on vaginal lips (Labia Minora) area	YES	
Keep on doing treatments every 4 to 6 weeks.			

BioMedical Emporium - CBD Microneedling



**BioMedical
EMPORIUM**
DNA

CBD Microneedling Protocols

CBD Microneedling creates several tiny punctures on your face and the body will automatically respond by initiating repair. This means that a new layer of skin is produced, and this basically means the old skin must be eliminated and this is done by the skin peeling off.

The peeling will be on the minimal side like that of mild sunburn.

BioMedical Emporium has scientifically formulated CBD microneedling protocols for different skin types and conditions.

Empirically Formulated - Bespoke and effective results

Your skin professional will formulate a treatment plan specific for you skin type within the Treatment Plan Protocol Card. This treatment plan is specifically designed for each individual, to ensure their skin is receiving a bespoke Biomedical Advance treatment every month to ensure optimal cellular division, functioning and skin health.

CBD Microneedling treatments include:

1. Treatment of acne scarring - ice pick scarring, box scarring and gaping skin
2. Treatment of active acne
3. Pigmentation - hyper and hypopigmentation
4. Dehydrated skin
5. Anti-ageing - elastosis
6. Scarring - keloids, hypertrophic and post-surgical scars
7. Stretchmarks

WHAT TO EXPECT



CBD Microneedling is minimally invasive, requiring no downtime.



It's considered safe for most people who are in overall good health.



The procedure isn't safe for people who use certain acne medications



You'll experience minor redness and irritation for a few days after the procedure.



Do not expose yourself to the sun: after you have undergone your CBD microneedling procedure, avoid the sun as much as you can.



Avoid the use of makeup after treatment: it is important that you give your skin room to breathe and especially for around 24 hours after the procedure.



Avoid exercising for 24 hours after the CBD microneedling procedure.



Hydrate your skin, after the procedure the skin will feel tighter and dry, hydrate with collagen serum

BioMedical Emporium – CBD Microneedling



**BioMedical
EMPORIUM**
DNA

Skin Rejuvenation Treatment


Collagen Induction Therapy (CIT), also known as CBD microneedling or medical skin needling, is a minimal invasive skin rejuvenation treatment, designed to improve skin conditions such as ageing and static collagen production, pigmentation and scarring by revitalising, retexturing and inducing long-term collagen production. This treatment can be done on your face and body and products are actively absorbed in dedicated areas.

Mechanism of CBD Microneedling

Formation of microchannels with resultant healing response. Thousands of microchannels or tiny wounds are produced through the epidermis into the papillary dermis of treated skin. These microchannels create a confluent zone of superficial bleeding that acts as powerful stimulus for the release of growth factors.

- A. Platelet derived Growth Factor (PGF)**
- B. Transforming Growth Factor (Alpha & Beta)**
- C. Fibroblast Growth Factor (FGF)**

Together = initiate the normal process of wound healing by stimulating the migration of proliferation of fibroblasts = **COLLAGEN DEPOSITION**



BioMedical Emporium - CBD Microneedling



Neocollagenesis/Neorovascularisation

CBD Microneedling relies on the principle of neocollagenesis and neorovascularisation that occurs as a release of growth factors following needle piercing of the Stratum Corneum. These growth factors are believed to be responsible for the beneficial effects of the procedure in the treatment of scars and photoageing.

What skin conditions make use of CBD microneedling?

INDICATIONS:

HYPERPIGMENTATION

UNEVEN SKIN TONE & TEXTURE

ACNE PRONE SKIN

AGEING


AESTHETIC SKIN HEALING

STRETCHMARKS & SCARRING

AFTERCARE:

1. Do not wash/treat skin for 24h after Biomedical Exfoliating Peel
2. Do not exceed allocated time for any peel on face as 'frosting' occurs and may cause hyperpigmentation
3. Avoid sun exposure before and after treatments as new skin cells have to mature
4. Always apply sun protective moisturisers
5. Use Retinol Serum only 2 days after Biomedical Exfoliating Peel

SKIN
CONDITIONS



BioMedical Emporium
- CBD Microneedling



Treatment Protocols

1. Pigmentation

- CBD WITH Bio-Glycolic Peel / Bio-Syntha C

Home Care

- Dark Spot Corrector
- Complexion Corrector Cream

Treatment Guide

- Treat Weekly with Bio-Syntha C for optimal results
- Take note of client's status as it influences results
- Course includes CBD Microneedling & Biomedical Emporium's Advanced Peels



Before & After

INDICATIONS



Before & After

2. Acne

- CBD with Bio-Glycolic Peel / Lactic / Salicylic

Home Care

- Facial Cleanser
- Anti-Acne Serum
- Enzymatic Therapy

Treatment Guide

- Treat Weekly with Pure Retinol for optimal results
- Course includes CBD Microneedling & Biomedical Emporium's Advanced Peels
- Home care mandatory

3. Scarring / Stretchmarks

- CBD with Bio-Glycolic Peel

Home Care

- Retinol Serum + Collagen Serum
- Peptide Therapy, Stretchmark & Cellulite Therapy

Treatment Guide

- Treat monthly with Biomedical Emporium's Advanced Peels for optimal results and for Body Treatments include: **Stretchmark and Cellulite Therapy and Bio-Body Peel Set**



Before & After



Before & After

4. Anti-Ageing

- CBD with Bio-Glycolic Peel

Home Care

- Retinol Serum + Collagen Serum
- Peptide Therapy / HA Contour Masque

Treatment Guide

- Treat monthly with Biomedical Advanced Peels for optimal results. Alternative Peptide Therapy with Retinol Night to induce optimal proliferation and mechanical restructuring
- Course includes CBD Microneedling & Biomedical Advanced Peels

BioMedical Emporium
- CBD Microneedling




BioMedical
EMPORIUM
DNA

CBD Benefits:

- CBD is anti-inflammatory
- It reduces and stabilises sebum production
- CBD reduces swelling
- It minimises pain
- It reduces redness and skin irritation

BENEFITS



BioMedical
EMPORIUM
DNA



UNIVERSITEIT VAN PRETORIA
UNIVERSITY OF PRETORIA
YUNIBESITHI YA PRETORIA

STORAGE GUIDELINES

Products contain pharmaceutical grade raw materials, which are very active and beneficial to your skin's health. Possibilities of mild irritation upon first use may occur, or if used frequently/daily. Therapists/stockist are trained to advise client on terms/frequency of product use. If adverse effects occur, these personnel can be contacted in such event to follow application procedure to specific treatment/product.

Please be advised on the following guidelines;

- Store products at temperatures below 77° F except for growth factor that need to be refrigerated between 35° F and 50° F.
- Products should not be exposed to light and air as active ingredients may change molecular structures.
- Products should be stored in cool, dark areas and not be exposed to sunlight as it will affect the molecular composition of the product.]

BIOKOSMETIK OF TEXAS

12702 Century Drive Ste C1

Stafford, Tx 77477

800-729-1242

281-277-9494

www.biokosmetikoftexas.com